610.02 U51c

This issue contains the AUGUST INDEX

CURRENT LIST of MEDICAL LITERATURE

Vol. 15 **August 27, 1948** **No. 7-A**

THE ARMY MEDICAL LIBRARY
Washington, D. C.

EDITOR'S NOTE

This index was prepared cooperatively by a staff recruited from various divisions of the Library. To expedite its publication, journals on Chemistry, Physics and Veterinary Medicine were eliminated as they were assumed to be adequately indexed in Chemical Abstracts and the Bibliography of Agriculture. Articles listed in the weekly issues under Anthropology, General, History, Bibliography, Biography and Nutrition were indexed selectively; however, articles with any possible medical significance were included. This index further differs from the usual form in that articles have been indexed on a title-word basis when the subject could be expressed in that way. Inconsistencies in terminology result from this procedure as the need for publishing this index was considered urgent.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. In order further to conserve space, the subject subdivisions used have been abbreviated wherever practicable. A list of the abbreviations adopted appears below:

abdom. abdomen
abnorm. abnormalities
accomm. & refrac. accommodation and refraction
addict. addiction
admin. & dos. administration and dosage
admin. & org. administration and organization
anat. & histol. anatomy and histology
appar. apparatus
artif. artificial
bact. bacteriology
bibliogr. bibliography
chem. chemistry
comm. communicable
compl. complications
cond. conditions
congen. congenital
defic. deficiency
deform. deformities
degen. degeneration
dent. dental, dentistry
deriv. derivatives
determ. determination
develop. development
diag. diagnosis
dilat. dilatation
diphth. diphtheria
dis. diseases
disloc. dislocations
disord. disorders
econ. economic
educ. education
eff. effects
embryol. embryology
epidem. & statist. epidemiology and statistics
etiol. & pathogen. etiology and pathogenesis
exam. examination
excis. excision
for. bod. foreign bodies
form. formation
fract. fractures
Gt. Brit. Great Britain
gyn. gynecology
hemorrh. hemorrhage
hered. heredity
hist. history
hosp. hospitals, hospitalization
hyg. hygiene
immun. immunity
in child. in childhood
indust. industrial
infarc. infarction
infect. infection, infectious
inflamm. inflammation
inj. injuries, injurious
innerv. innervation
instr. instruments
insuff. insufficiency
manag. management
med. medical, medicine
metab. metabolism
metast. metastasis
morphol. morphology
mortal. mortality
nerv. nervous
neurol. neurology
nutrit. nutrition
obst. obstetrics
obstruct. obstruction, obstructive
parasit. parasitology
pathol. pathology, pathological
perf. perforation
pharm. pharmacy
phys. physical
physiol. physiology, physiologic
postop. postoperative
pregn. pregnancy
preop. preoperative
prep. preparation, preparations
preserv. preservation
prev. prevention
prod. production
progn. prognosis
progr. progress
psychiat. psychiatry, psychiatric
psychol. psychological, psychology
psychosom. psychosomatic
regen. regeneration
rehab. rehabilitation
rel. relations
roent. roentgenography
rupt. rupture
sanit. sanitation
seq. sequels
serv. services
soc. social
standard. standardization
statist. statistics
strict. stricture
surg. surgery, surgical
tech. technique
ther. therapy
thromb. thrombosis
tox. toxicity
transm. transmission
transpl. transplantation
traum. traumatic
U. S. United States
wds. wounds

SUBJECT INDEX

Vol. 15, Nos. 5-7 (cols. 321-560)

August 27, 1948

ABDOMEN, adhesions 427s; for. bod. postop. 513i hematoma 442p; myoses 442p; surg. 365o,538c
ABNORMALITIES AND DEFORMITIES, congen., etiol. 432m,463c,463i,524s
ABORTION, 505q; compl. & seq. 368t,427o,436q; induced 523o; spontan. 533w; ther. 515k
ABRODIL, 392q
ACCIDENTS, first aid 520b; fract. 520i; proneness 463u; road 520i,520k,520-1
ACETATES, diethylamino ethyldialkyl 386t
ACETONE, determ. 362e
ACETOPHENETIDIN, tox. 364i
CETYLCHOLINE, 324u; antagonists 465-1; bromide 510c; eff. 468c,504r,532f; in nerve tissue 385d
ACETYLENE COMPOUNDS, eff. 401g,401i
ACHALASIA, 492n
ACHLORHYDRIA, 358a
ACIDS, acetic 547t; adenylic 468k; p-aminobenzoic 528m,555j; p-amino-salicylic 404r,476q; anthranilic 383r; dichlorophenoxy acetic 386h; glutamic 350v,539j,--tox. 432w; hippuric 325h; hydrobutyric 548e; linoleic 326g; metab. 484-1; nordihydroguaiaretic 386g,386q; pantothenic, antagonists 433a; periodic 491v; podocarpic 339j; salicylic 349i,356v; o-thymotinic 386e
ACID-BASE EQUILIBRIUM, dis. 521c
ACNE, 443s; bromide 517q; naphtalino-chloric 370b; ther. 368m,517p
ACRIDINE, alkaline 465g; in malaria 414f
ACRIFLAVINE, inj. eff. 368o
ACROMEGALY, 517k; etiol. 508r
ACTINOMYCES, species determ. 323-1
ACTINOMYCOSIS, 334o,515f; muris ratti 502m; pulmonary 530t
ADDISON'S DISEASE, 503v; compl. & seq. 362t; ther. 517d
ADENOIDS, 356-1; surg. 460n
ADENOSINE, exper. 468k
ADHESIVE TAPE, remover 411-1
ADIE'S SYNDROME, 448k
ADNEXA UTERI, inflamm. 342m; lesions 436p
ADOLESCENCE, dis. 368q,440b
ADRENAL GLAND, at altitude 467m; dis. 354t,367o 531-1; histol. 321e; hypofunction 336e,434r,--infants 463n; medulla 401s; physiol. 325k,337o, 337v,484j,503v,530p
ADRENAL HORMONES AND PREPARATIONS, 383q, 435p,450-1,491j,492i,495m; determ. 337t; eff. 388q,504r.536e,536f; inj. eff. 363p; synthetic 577u
ADRENALECTOMY, exper. 387r,468h
AEROSOLS, 385j; ther. 426j,459i,511g
AGGLUTININS AND AGGLUTINATION, 461c,555q; anti-s 496j; blood 324o,325j; in fetus 437n
AGNOSIA, 456m
AGRANULOCYTOSIS, 527u; medicament 360f,428w
AGRICULTURE, psychol. asp. 470m
AIR, analysis 421-1; pollution 470q
ALBERS SCHÖNBERG MARBLE BONES, hered. 384k,384-1
ALBUMIN, eff. 326t
ALCHEMY, Greek 485k
ALCOHOLISM, 379p,494e,508m; control 415m, 494g; etiol. 415-1; hosp. serv. 522w; in Gt. Brit. 494g; legal asp. 371q,415m; psychol. asp. 415k; social asp. 415j; societies 415n,578-1; ther. 442f, 494f
ALCOHOLS, beer prep. 438q,555j; beverages, Gt. Brit. 494h; eff. 534e; ethyl, tox. 532c; in blood 417n; methyl, tox. 519t; pharmacy 388u,467c; sugar 388c
ALDARSONE, ther. 540u
ALERTNESS, exper. physiol. 469m
ALEUDRINE, eff. 517a
ALEXIA, 456m,456n
ALKALOIDS, 385g,402c
ALKALOSIS, 467p
ALLERGY AND ANAPHYLAXIS, 346i,359d,408m, 420g,420-1,436c,447v,454w,463q,502p,504o,516c classif. 526e; in child. 524n; milk 412v; paral-'ergy 535f; patch test 411-1; serum & vaccine 375n,435r,447r; shock 325m,349v,532f,548f; ther. 351i,439b,439c,503d,503o,522v,525-1
ALOPECIA, areata 512n; cicratisata 410p; epidemiol. & statist. 482b; ther. 520s
ALTITUDE, adaptation 520c; eff. 530m; sickness 447b; ther. 530j; tolerance 467m
ALUMINUM AND COMPOUNDS, eff. 555r; tox. 421c,421d; utensils 342s
AMBLYOPIA, 543h
AMEBIASIS, 504j; cutaneous 525r; in Gt. Brit. 447a; intestinal 550r
AMENORRHEA, 433m,439j,440d,527-1; ther. 338i
AMERICAN MEDICAL ASSOCIATION, research 381e
AMINES, chlorethyl 327j; eff. on synapse 326p
AMINO ACIDS, 453g,497b,549r; defic. 326f; determ. 325e; eff. 525b; esters 391g; in casein 416h; metab. 414f,435a; ther. 432w
AMINOPHYLLIN, ther. 476g
AMMONIA AND COMPOUNDS, eff. 324u,326p; tox. 421k
AMMON'S HORN, 456i
AMNION, infect. 427n; liquor excessive 497r
AMPHETAMINE SULFATE, eff. 337h
AMPUTATION, 447a,475u; tourniquet 475b
AMPUTEE, rehab., teacher training 429a
AMYLASE, prod. 322-1; salivary 386f
AMYLOIDOSIS, 378i; heart in 403w
AMYTAL, psychiatr. asp. 378q
ANALGESIA, brachial block 321r; in dent. 346s; in obst. 341n,366v; morphine 387v
ANALGESICS, butalgin 363h; in obst. 341n
ANATOMY, Bichat's 419j
ANATOXIN, ther. 354q
ANDROGENS, eff. 325p,530s; ther. 452a; tox. 505b
ANEMIA, 326c,448b,451c; anti-pernicious anemia factor 552e; aplastic 438a,452v,453a; Cooley's 446h; hemolytic 412i,418o,547d; in child. 463t; in liver cirrh. 434k; in pregn. 440n; in South 450r; Lederer 550v; microcytic 525q; nutrit. infants 437s; pernicious 345-1,3[illegible],359c,441q,451b,492k; splenic, surg. 475s; ther. 448c,548s,551o
ANEMOHEMATURIA, parasitaria 532v
ANENCEPHALUS, in obst. 434q; roent. 434c,497s
ANESTHESIA, 350i,370s,538i: accidents 520k; appar. 321v,396m,506i; balanced 360m; bleeding

510s; compl. & seq. 363i,441i,474i,523k; curare 374p,557v; endotracheal 321w,436i,521j; ether 432e,502u; exper. appar. 412n; for cerebral surg. 440e; for esophagus atresy 442q; for facial surg. 321u,334i,545k; for heart surg. 322a,519c; for plastic surg. 365f; for thoracic surg. 393w; general, reflexes 322c; in child. 464q; in dent. 410e; in gyn. 422t; in obst. 341n,360m; in otorhinolaryng. 440j; in tuberculosis 512g; infants 436i; internist's asp. 322e; intravenous 346q, 498j,706j; myanesin 509j; pentothal-curare 492t; physiol. 322d; premedication 362q; progress 321o,425k; refrigeration 475u; spinal 321n,321p, 321s,321v,335w,395o; trigeminus II 334v; trilene 506i
ANESTHETICS, local, in dent. 375r; oil soluble in proct. 413b; pontocaine dry 395o; topical 546j
ANESTHETISTS, 361n
ANETHOLE, 492d
ANEURYSM, 394a; aortic 336w,395w,541o; arterial 474h; arteriovenous 395h; basilar 557r; brachial 360c; cardiac 442k; carotid 395g; cirsoid 366g; femoral 361f; iliac 394b; surg. 434a; ther. 355o
ANGINA PECTORIS, 348p,506d; surg. 425e; ther. 345h; vasomotoria 520o
ANIMALS, experiment. 547p; instincts 469m
ANKLE, recurrent disloc. 377o; tumor 368m
ANODONTIA, 488u
ANOPHELES, 398a; Australasian 402w; Florida 422a; various species 501k
ANOREXIA, in newborn 425c; mental 488w,504c; ther. 448p
ANOXEMIA, tests 433g
ANOXIA, eff. 467w; electrocardiography in 327w
ANTHALLAN, ther. 503o
ANTHISAN, eff. 517a; ther. 436a
ANTHRACOSIS, 346k
ANTHRAX, eyelid 432k
ANTHROPOLOGY, in Australia 487t; in Gt. Brit. 481v
ANTHROPOMETRY, 481d,481g,481v,482d; applied 481w,482a
ANTIBIOTICS, 345t,375a,375g,418w,449-l,496e,496f 496m; bact. resist. 323f; determ. 353n; for tuberculosis 516q; iodonium compounds 551m, 557-l; progress 551o,551q; ther. 397t,433r,522s, 546w
ANTIGENS AND ANTIBODIES, 339b,343f,375m,461c 491h; determ. 326-l,420h; Donovania granulomatis 322s; E. coli 343i; neutralizing 343p; Shigella 343d; somatic 343m; zone of activity 343n
ANTI-SEMITISM, attitudes 380k
ANTISEPSIS, surg. 533b
ANURIA, 356i; sulfadiazine 376k; sulfonamide 448n
ANUS, glands infect. 412u; imperforate 521s
ANXIETY, 375b,437f,540p,541g
AORTA, coarct. 328h,516w; inflamm. 526a; roent. 523e; sten. 513o,519u,521a; syphilis 502d; valve, calcified 513o,--insuff. 519s
APHASIA, 442u,456n
APPARATUS, 420s,548p; air flow determ. 420s; contin. spinal mattress storage 321v; dental 487j; electronic epilator 497k; for dental prosthesis 450c; for sanitary napkins 417i; invalid chair 368k; stretchers 424a
APPENDECTOMY, 444e; incis. in female 370g; postop. compl. 362t
APPENDICITIS, 535a; acute 433r; compl. & seq. 474-l; left-sided 357p; review 475b; statist. 473p; ther. 503q
APPENDIX, dis. 474k; histol. 475g; mucocele 347-l, 395k; pathol. 444e
ARACHNODACTYLY, 381w,541h,544o
ARCHIVE FOR DERMATOLOGY AND SYPHILIS, 335e
ARM, anat. 321j; dystrophy 557t; fract. 368-l; ischemia 438f; pseudarthrosis 362m,452r
ARRYTHMIA, 503j; auricular fibrillation 432g,--in shock ther. 379a; auricular flutter 328b; ventricular fibrillation 434s
ARSENIC AND COMPOUNDS, 355u,410r; mapharsen 349q; ther. 347p,366s,366t; tox. 339t,344c,349v, 361v,366s,371o,383q,421q,428w,515e
ARTERIES, brachial 557s; carotid, kinked 502d; dis. 433c; popliteal 557q; temporal, inflamm. 506w,511t; transpos. 384e
ARTERIOSCLEROSIS, etiol. & pathogen. 412f; generalized 527i
ARTERITIS, obliterans 462o; temporal 368j
ARTHRITIS, 539g; ankylopoietic 352h; atrophic 358r; deformans 528p; in child. 462o,539f; leukemic 556-l; purulent 444j; rheum. 324o,348f, 358c,517s,526u; septic 377n; ther. 539d,539e
ARTHROSIS, 450w
ASBESTOS, 364t
ASCARIASIS, 441h,477w,510b; bile duct 395v,535b; in animal 483d; roent. 347k; ther. 483a
ASCARIDOL, 386a
ASCITES, 345n,356g; etiol. & pathogen. 537m
ASPERGILLOSIS, 383e
ASPHYXIA, ther. 475q
ASTHENIA, crurum dolorosa 364d; neurocirculatory 375c
ASTHMA, 398v,523u; ther. 444q,445d,476a,503n, 504d,523v,525k,530j,553q
ASTRINGENTS, 555r
ATABRINE, prod. 464w; ther. 353t,365q
ATELECTASIS, 439m; etiol. & pathogen. 477m; postop. 357g,--in child. 371n
ATHLETICS, 391j; Olympic champion 340n
ATHROCYTOSIS, 496j
ATOMIC ENERGY, 344e; control 414e; explosion 353a,428o,453r,482-l; med. asp. 467a,472f; tox. 536c
AUTOPSY, difficult 519f; legal asp. 424h
AVIATION MEDICINE, acceleration 467t,--negative 453w; cardiovascular system 441d; exam. 453u; heart 360-l; interplanetary 482m
AXEROPHTHENE, 404v
BABINSKI'S SIGN, 380i
BACILLOSPORIN, 551q
BACITRACIN, 374w,375a,375h; assay 386a
BACKACHE, 530w; etiol. & pathogen. 445a
BACTERIA, 323d; aerogenes 323h; anaerobic 323h, 323c; biol. 528u; clostridium 322o; cereus 322i; culture 547-l; culture media 323d,439g,482p, 533g; enteric 343m; excretion 399l; fusiformis 427q; in butter 413q; in soil 403j; lactobacillus 409c; lophotrichea 385w; lysins 414v; morphology 336j; motility 413m; paratyphus A 555i; paratyphus B 555m; penicillin resist. 436d; penicillinase-producing 322p,322q; proteus 448d,555q; pseudonomas 374h; Salmonella chandans 322t; saprophytic 491q; streptococci 326r; tularense, culture 322r; vibrio 362d
BACTERICIDES, 340k
BACTERIOLOGY, 497a; teaching 413m
BAL, 326k,343m,410r,465p; ther. 363k; tox. 465n
BALNEOLOGY, 426p
BARBITURATES, determ. 460u,460w; eff. 321q; pharmacol. 387-l
BARIUM, determ. 458k
BATH, diaphoretic 383-l
BATRACIN, 450f
BEAUMONT, DR. WILLIAM, 457j
BED, hospital 417d,417j,417k; plaster 368c
BEHAVIOR, 390n,464k,469d,470a; aggressive 521m; dis. 455v; in labor 541b; prediction 469t; tests 553e
BELLADONA, pharm. 552a
BENADRYL, 359t; ther. 376d

BENZEDRINE, tox. 533b
BENZENE, eff. 532g; hexachloride 495d; tox. 421j, 500o,500s,500w
BERYLLIUM, tox. occup. 517-1
BESNIER-BOECK'S DISEASE, 461-1
BICHAT, "General Anatomy" 419j
BILE, chem. 491m; eff. 468g; flow 516d; physiol. 439i
BILE DUCTS, ascariasis 395v,535b; cancer 359v; cyst 392r; roent. 394c,511r
BILIARY TRACT, calculi 364p; dis. 476f; obstr. 523f; pathol. 524h; roent. 472t; surg. compl. 529m
BIOLOGY, 402q; stain commission 390t
BIOMETRICS, 402-1,484c
BIOTIN, 402r
BIRTH, 499h
BIRTH CONTROL, diaphragm applicator 497n
BISMUTH AND COMPOUNDS, bistrimate 411q; ther. 349q,508a,540m; tox. 428w,506e,532t
BLADDER, abnorm. & deform. 342-1,509e; bibliog. 363d; bovine 321g; cancer 327s,365h,365i,365j; dis. 560g; diverticulum 477r; exam. 483j; obstr. 432s; schistosomiasis 423r; sphincter 477v; surg. 365h,477p,477v; tumor 423u,560h; wds. & inj. 434-1
BLASTOMYCOSIS, compl. & seq. 508v; cutan. 360q
BLIND, India 397r
BLINDNESS, etiol. & pathogen. 458r; medicament 381t; unilateral 542w
BLOOD, alcohol 417n; ammonia 467p; animal, nutrit. asp. 439d; bactericidal eff. 385r; barbiturates 460u,460w; calcium 536g,547k; carbon dioxide, excess 335r; carbon monoxide 491-1, 547f; chem. 435g,536h; cholinesterase 509p, 557j; complement 335t,410n; Costa reaction 438j; count 461a,--chamber 491k; dis. 349s, cerebral compl. 533d; enzymes 325f; exam. 502a,547o,555o; fibrin 531c; fibrinogen 532e; filter 429q; form. 402j,468e; glucose level 321h; histaminase exper. 399a; histamine 366h; in child. 353j,457u; in liver cirrh. 532s; inhib. eff. 323o; iodine determ. 357q; iron 342f,478h; microscopy 435q; mitosis 435e; nitrogen 530a; occup. dis. 500o; oximetry 328c; parasites 501j; phosphatase 547n,548j; physiol. 467v; plasma, ether-extract. 495a,--fractions 491r; platelets 345s,547d; porphyrin level 548b; precipitin reaction 508v; proteins 321h,337-1,398h,442r,491g, 525g; regen. 457s; salicyl compounds 444-1; sediment. 353j,360t,428n,434j,438j,443d,503s; serum 401s,461m; substitutes 519p; ther. 461a, --Soviet 358m; urea 336h,337q; vitamin A 492v; vitamin B1 509p; vitamins assay 492u; volume 435f,481r
BLOOD CIRCULATION, 394m,510a; arterial 364v; dis. 521v; exper. 468i; peripheral 325a; pituitary dis. 429f; stimul. 468n
BLOOD COAGULATION, 325v,370k,378k,435r,446a, 446c,531c,531m,547m,548k; antagonists 349j, 425j,437d,476c,503c,504o; pharm. asp. 412e; regulation 393o
BLOOD GROUPS, ABO, 539k; anthropol. asp. 481j; antigens 549f; anti-Rh-sera 376b; chromosome test 414w; hr factor 547e; in Cuba 385a; in Eskimo 481i; in Gr. Brit. 338m; in Latvia 338o; in Tepexpan 481k; MN 339b; nomenclature 413e; Rh factor 357n,358s,361u,362j,423e,426m,439e, 445a,463g,464s,516k,519k,531n,541o,547j
BLOOD PRESSURE, determ. appar. 497j; in spinal anesthesia 321p; physiol. 545t; pulmonary 339-1; regulation 533u; venous 427i,452p; weight rel. 423-1
BLOOD PRESSURE, HIGH, 325d,355a,358r,360i, 368i,394m,423c,424q,424r,442b,452q,503b,504e, 506s,516g,521b; compl. & seq. 424c; diag. 412k; essential 508d; etiol. 358k,529p; exper. 445m; in preg. 419b; malign. 346-1; metab. 375b; physiol. 460f; portal 558v; psychosom. asp. 358f; vitamin K ther. 351e
BLOOD PRESSURE, LOW, cerebrospinal fluid 540g
BLOOD SUGAR, 373s; determ. 547g; defic. 393p, 462-1,540t; eff. of nicotine 548c; excess 492h; exper. 467r; vagal stimul. 325s
BLOOD TRANSFUSION, 441i,502o; banks 353u, 365k,366i,453t,512i; compl. 439e,512m; donors 321t,457s; plasma & serum in 547e; total replacement 321t,445g
BLOOD VESSELS, abnorm. surg. 462j; constriction 328h; degen. 514q; dis. 394-1,394m,450o,514v,--roent. 556p; drainage 321f; glomerulosclerosis 360e; innerv. 371j; irradiation 464d; necrosis 437w; occlusion 394h; physiol. 516a; spasm review 475-1; ther. 524w; wds. & inj. 434a
BOECK'S SARCOID, 438s
BOMB DAMAGE, psychol. asp. 391-1
BONE, abnorm. 439i; bank 354d; decalcific. 547q; diaphyseal dysplasia 556n; dis. 440-1,--in child. 384i,556m; fragility 437q; fibrous dysplasia 334o,440w; lipoid granuloma 473u; marble 384k; medico-legal asp. 481t; metab. 339v; necrosis 559a; plate 417f; sarcoma 484o; sound conduction 459o; staining 492a; surg. 396d; transpl. 452r,474q; tuberculosis 362-1,373k,464i,464o, 511g,--in child. 431a,--ther. 511q; tumor, periosteal 472n
BONE MARROW, 548f; insuff. 453a; mitotic changes 535-1
BOOK MARKS, 467i
BOTULISM, 438p; toxin 420g
BOUCHER'S DISEASE, 531s
BOVARY, case 446u
BRAIN, abnorm. 369d,537a; abscess 452o,511n; air embolism 433h; anat. & histol. 371k,453s, 456h,481m; biopsy 443-1; blood vessels 371j, 447v; cyst 373p,523t; dis. 519q,531d,531u; echinococcis 558a; exper. 324i,--pathol. 456i; granuloma 438w; hemorrhage, ther. 476g; in blood dis. 533d; localization of function 457f; necrosis 489v; organic damage 441a; physiol. 349h,456j, 456t,468r,468s,469h,540a; roent. 371k; sclerosis 518v; surg. progress 516q; tissue 492d; tuberculoma 557r; tumor 366r,453f,460f,508t,578s; wds. & inj. 439k,509c,516b,531e,540g
BREAD, in France 532j
BREAST, eff. of streptomycin 327e; inflamm. 373-1; necrosis 498u; nipple rhagades 452j; Pagets dis. 428t; pain 511f; physiol. 417o,496a; plast. surg. 365f; surg. compl. & seq. 484p; thrombosis 501e; tuberculosis 475n; tumor 484p
BREAST, CANCER, 342j,354k,356f,394n,395k,396j, 426f,427k,544o,558c; hormone ther. 371a,433p; in pregn. 427k; male 558c; metastatic 444g; progn. 327i; ther. 353v
BROAD LIGAMENT, 341h
BROMINE AND COMPOUNDS, 517q; tox. 363-1, 432o
BROMOSULPHALEIN, retention 372u
BRONCHI, adenoma 445d; anat. & histol. 449q, 545b; cancer 327j,369t,507k,557g; defects 399p; develop. 453c; dis. ther. 550h; for. bod. 511k; polyp 357d; roent. 361r; spasm 517a; sten. 462k, 480c; tuberculosis 366-1,461o; tumor 399t
BRONCHIECTASIS, 349-1,359m,480c; diff. diag. 535i; surg. 349-1; vitamin ther. 375d
BRONCHITIS, 427q; spasm 370d
BRONCHOPNEUMONIA, 424j,448r; Klebsiella pneum. 426d

BRONCHOSCOPY, 439q,461o,531i
BRONCHOSPIROGRAPHY, 399r
BRUCELLA, agglutination 461d; immun. 461c; nutrit. 323a; pathogen. 344t
BUERGERS DISEASE, ther. 446a
BULL, sperm 418d
BURNS, infect. control 516t; liver pathol. 453m; ther. 352c,434m,444d,473j,553-1
BUTALGIN, 363i
BYWATERS SYNDROME, 374-1
CABBAGE, digestibility 533t
CADAVER, comedo 533e
CADMIUM AND COMPOUNDS, 340g
CALCANEUM, cyst 512d
CALCIFEROL, ther. 335m,335o
CALCIFICATION, exper. 472-1
CALCIUM AND COMPOUNDS, analgesic 366i; defic. 366w; determ. 458k; eff. 328i,531b; metab. 427s, 531a; ther. 366w,490t,508f; zeolites 414t
CALLUS, histol. 377-1
CANCER, 327r,428j,451-1,491t,521p,534c; adeno- 359v,360f; bladder 327s; blood in 536h; bronchi 327j,360t,507k; cardio-esophageal 347b; cells 449-1; cemetery 513i; cervix uteri 429v,433o; chemother. 348-1,446b; chorionic 521n; clin. training 524-1; colon 358f,367v,525g; control 391v,451k,559e; Costa reaction 438j; cure claim 437o; cytodiag. 350a,429s,507e,512a; dent. asp. 391q; diag. 359r,360v,391q,448t,473q,526n; distrib. 345p; double 434e; eff. of bacteria 354k; endocrine asp. 430d; epidemiol. & statist. 530q, 531k; epithelioma 347f,474p; esophagus 412p, 427f,546p; etiol. & pathogen. 396j,472g,529g; exper. 327j,327n,416p,449m,484q,484u; fallopian tube 397h; gall bladder 432j; growth studies 484e; in child. 327r; in Denmark 392t; in Netherlands West Indies 361s; in Oregon 391r; institute, Canada 451k,534b; intestinal, diff. diag. 403p; lip 453v; lit. review 358j; liver 347-1; lung 448c; manag. 518b; metast. 366i,393m, 557-1; milk agent 326-1; mortal. 357o,530q; mouth 554-1; National Institute, France 450-1; orbit 459n; papilloma 327m; pharynx 526s; phosphatases in 366d; postop. compl. & seq. 403r; precancerous 354h,364a; progress 474c; prostate 426t; psychiatr. asp. 433d; radiother. 472g; rectum 558o; registration 484w; seminal vesicle 560d; simul. 418r; sinus, paranasal 459n; spinners 403o; squamous 359o; stomach 347a,393p, 492-1,528q; surg. 403s,418m,425i; testes 502a; theory 434d; ther. 366c,373j,385-1,432a,472u, 534c; thyroid 425g; tonsil 327s; virus etiol. 526v; vulva 499f
CAPILLARIES, dis. 433c; fragility, ther. 381k; in cows 414k; inflamm. 490j; permeability 522c
CARBOHYDRATES, bact. exam. 390w; dent. asp. 409c,409j; metab. 388a,396h,437j,450j; specific dynamic action 542c
CARBON DIOXIDE, eff. 468a,509a; frozen, eff. 381n; spray ther. 418e
CARBON MONOXIDE, determ. appar. 491-1; tox. 348h,374f,446s,500i,500u,532g
CARBON TETRACHLORIDE, tox. 500v,549e
CARCINOGENS, 334n,451t
CARDIA, cancer 347b
CARDIOLIPIN, -478-1,538o
CARDIOLOGY, progress 359e
CARDIORRHAPHY, 355n
CARDIOSPASM, 473b
CARDIOVASCULAR SYSTEM, dis. 485g,492i; in aviation 441d; pharm. asp. 510n,548f; physiol. 452w; roent. 369h,441n; surg. 395f; syphilis 534p; transposed 443u
CARTILAGE, bank 396u
CASCARA SAGRADA, chromatography 386k
CASTRATION, psychiatr. asp. 507s
CATARACT, 371r; extraction 368j,--compl. & seq. 543r; in child. 463h; spontan. ther. 543i
CAUSALGIA, 362n,395w,527k; psychother. 434b; surg. 370p
CECUM, diverticulum 361g,--perf. 474a
CELIAC DISEASE, 437j
CELLOPHANE, in surg. 541o
CELLS, activity 509s; mast 363e; metab. 414f; mitosis 449t,449u,484f; nucleus 339i; physiol. 413f; tracer use 402q; xenogenesis 539g
CELLULITIS, subcutan. 351w
CELLULOSE, in drugs & cosmetics 466-1; in wood 323p; oxidized 400b,459j
CEPHALIN FLOCCULATION TEST, 547i
CEREBELLUM, abscess 460b; dis. 366q
CEREBROSPINAL FLUID, fluorescence 378m; cephalic barrier 456f; in neurosyphilis 443-1; in shock ther. 378r; iron in 478h; liquorrhea 445h; lymph connection 423g; penicillin in 325t; pressure 336b; stain 527p; sugar 541a; test 438k
CERVIX UTERI, cancer 403r,418p,433o,560c; dilat. in pregn. 427-1; postop. fibroid 418s; postpartum 397g; radiother. results 429v; tuberculosis 418r
CESAREAN SECTION, 427n; appar. 423t; hist. 426h, 521f; postop. pregn. 423o; scar 341v; loss of blood 365n; mutilating 427m; Pfannenstiel incis. 397j
CESTODES, 482u,483b
CHAULMOOGRA, oil 368i
CHEEK, melanoma 370a
CHEMISTRY, in Plutarch 485k
CHEMORECEPTION, in insects 389e
CHEMOTHERAPY, 375h,397s,397t,454m,533m
CHERNEY'S INCISION, 394d
CHEST, dis. 430m,--journals 430s; pain 358h; clinics, Gt. Brit. & U. S. 430r
CHICKENPOX, mortal. 514b
CHILD, abdomen acute 351-1; allergic 524n; anorexia nervosa 464i; anxiety neurosis 455t; behavior 361j; benzedrine tox. 533b; blood 457u; convalescence 391s,457c; convulsions 550c; day nursery 423k; deaf 429m; develop. & growth 369c,457e,475w,541n,550c,553w; dis. 451k; diabetes 453f; epilepsy 472a; Gaucher's disease 462c; glandular fever 549q; health 339q,391s, 475w; lung calcif. 463g; mental hyg. 441a; mesentery teratoma 462s; neurosis 539s; nutrit. 442c, 457u; personality 420c; prematurity, eff. 549n; psychiatric hosp. 455s,457a; psychol. 488p; psychopathol. 504m,539r; psychosom. dis. 523f; psychotic, psychother. 455s; phys. handicapped 397q; Rorschach test 457e; skeletal lesions 472j; skin, yellow 550c; spinal tumor 392o; spastic, ther. 472a; stammering 462n; surg. 358g,464q; temperature, high 526r; warts 538t; welfare 384p,457a,457b,457c,470w,471s,471t,471v,494q
CHLORESIUM, ointment 380o
CHLORINE, eff. 507b
CHLOROFORM, blood level 423v; in dent. 408m
CHLOROMYCETIN, adm. & dos. 324q; ther. 324r
CHLOROPHYLL, ther. 493f
CHLOROQUINE, tox. 387t
CHOLERA, compl. & seq. 431g; epidemiol 354-1, 354m,431f,431h,554v; fluid metab. 431f; hematol. asp. 431i; immunity 344n,516u; ther. 346b; vaccin. 431j; vibrio 362d,431i
CHOLESTEROL, 327o; exper. 337p,338b
CHOLINE AND DERIVATIVES, diet. asp. 527o; eff. 325b,538k; metab. 528b
CHOLINESTERASE, inhib. 388h
CHONDRODYSTROPHY, 372a
CHOREA, Huntington's 518w; in pregn. 341-1
CHORIOMENINGITIS, 352v; epidemiol. & statist. 531r

CHORIONEPITHELIOMA, 356q; endocrine asp. 372m
CHORIORETINITIS, exudative 506b
CHOROID PLEXUS, chem. 456f
CHRISTIAN'S SYNDROME, 544o
CHROMATOGRAPHY, appar. 497f
CHROMOMYCOSIS, 442i
CHROMOSOMES, accessory 338u; breakage 414j; exper. 324e; heterochromasy 338v
CHRONAXIA, 540i,546u
CILIARY BODY, inflamm. 381v
CILIATA, Tillina magna 324h
CINCHOPHEN, tox. 494g
CITRATES, 346b,495u
CITRININ, structure 496m
CLAVICLE, congen. pseudoarthrosis 377s; fract. 368o
CLIMACTERIC, 363n
CLIMATE, adaptation 476h; physiol. eff. 375t; research 449e
CLITORIS, cancer 498a
CLOSTRIDIUM, infect., control 375n; novyi 560o; tetani, toxoid 494j; welchi 594d
CLOTHING, 482a; inj. eff. 513h
COBALT AND COMPOUNDS, radioactive 416g; use 385q
COCA DERIVATIVES, farmocaina 546j; cocaine, pharm. 416w
COCCIDIOIDOMYCOSIS, pulmonary 359a,436g; ther. 403e
COCCYGODYNIA, 366g
COCCYX, examin. 548n; pain 356j
COD LIVER OIL, chem. 386q
COLCHICINE, eff. 327p,355h,449t,449u; roentgenother. 446b,472n
COLD, common 465h,467a; eff. 375t,396v
COLI BACTERIA, 351q; infect. 351w; therapeutic 428-1
COLITIS, 371f,507c; neurol. asp. 351u; parasitic 472m; ulcerative 337a,362b,371b,429t,503f,504j, --surg. 429u
COLON, abnorm. congen. surg. 354g; cancer 354h, 358f,367v,394o,394p,525g; dilat. 348q,351b,395e. 473w; endocrine asp. 517k; dis. ther. 493i; diverticulum 433f,534g; endometriomata 441t; invag. 559b; perf. 450q; surg. 356i,394q,475c,514n,558q; tumor 366o,371c,445t; volvulus 556d
COLOR, binocular yellow 389m; blindness 381w, 438q,543e; brightness 389p,389t; in mammals 380d; perception 378j,391p,523i,553d; standards 416j
COLORIMETRY, 495e
COMA, 371w; etiol. & pathogen. 455o
COMMUNICABLE DISEASES, 348f,425h,509a
COMPLEMENT FIXATION, 343u,365c
COMPULSION, 438v
CONCENTRATION CAMPS, 358b
CONGO RED, ther. 482k
CONIDOPHRYS, pilisuctor, in Calif. waters 483c
CONJUNCTIVITIS, 517s,534g; in child. 384u; meningococcal 518s
CONSTIPATION, etiol. & pathogen. 445k
CONSTITUTION, psychol. asp. 364u; therapy 428v; types 481r,520p,536u
CONTACT LENSES, 340q,546r; inj. eff. 544n
CONTRACTURE, congen. 451v; Dupuytren's 371s, 425f,429h
CONVULSIONS, nutrit. asp. 375e
COPPER AND COMPOUNDS, eye inj. 368f; sulphate 442s; ther. 335j
CORNEA, abnorm. 382m; degen. 544m; for. bod. 368f; histol. 381o; pannus 368e; regener. 381n; transplants 519c,543d; virus colonies 434n,--dis. 381u
CORONARY VESSELS, appar. 387r; death 504f; dis. 423c,423m,433g; occl. 443t; pharm. asp. 387j; surg. 350c
COSMETICS, cellulose in 466-1; tox. 429p
COUGH, compl. & seq. 521w; in child. 523v
CRANIUM, abnorm. & deform. 394k; anat. compar. 481d; cold eff. 516-1; dis. 383e; fract. 445h; frontal hyperostosis 447k; morphology 482e; ossific. 439i; osteoporosis 408k; roent. 393c; surg. plast. 523t; tuberculosis 557e; tumor 383h,393e,455k; wds. & inj. 530h
CRIME AND CRIMINALS, 539p; anthropol. asp. 373m; capital punishment 493-1; medico-legal asp. 508s; physical exam. 493-1; psychiatric asp. 493m
CROUZON'S DISEASE, 551f
CRUSTACEA, Daphnia 495a
CRYING SPELL, electroencephalography & clinic 532o
CRYPTOCARYA, pleurosperma 402c
CRYPTOCOCCUS, neoformans 346p
CULDOSCOPY, 341v
CURARE AND DERIVATIVES, 374p,539b; antagonist 321o,465m; eff. 531t; exper. 494w,495q; hist. 538w; in shock ther. 506t,539a; synthetic 367j; use 505v
CUSHING'S SYNDROME, 520d
CYANOSIS, surg. 348i
CYMARIN, pharmacy 551u
CYST, dermoid 373n; pilonidal 357o
CYSTINE AND CYSTEINE, ther. 521i
CYSTINURIA, 504f
DANLOS' SYNDROME, 506o
DAVOS, Switzerland 449d,559g
DAY NURSERIES, importance 423k
DDT, 343a,375-1,422c,423a,495d; eff. on Ixodidae 555d; precursors 438g; ther. 462g; tox. 416s, 440-1,501m
DEAF-MUTISM, 527e,527f
DEAFNESS, 459f,527g,551d; congen. 429m; educ. 458w; in child. 519n; otosclerotic 459t; prev. & control 531d; rehab. 355p; sound conduct. in 459s
DEATH, cause, reporting 470s; coronary 504f; determ. 419-1; sudden, bath 438c
DECALCIFICATION, 492f
DECIDUA, hyperplasia 342d; tox. 419e
DEER, sex hormones 367i
DELINQUENTS, defective 539o
DEMENTIA PRAECOX, etiol. & pathogen. 530i; somatotypes 378t
DEMEROL, indic. 321s
DEMODEX, folliculorum 533e
DENGUE, transm. 326u
DENTAL CARIES, 408t,487n,488u,489f,489n,506-1, 523m; bact. asp. 487q; control 335b,368-1,409f, 409g,409h,409i,409k,409-1,471a,554c; etiol. & pathogen. 333t,408r,409b,414k; Evanston study 408v; exper. 334j,541w; geographic distribution 409n; in students 409a; nutrit. asp. 334b,409j; pathol. 487p; pulp in 488p
DENTAL HEALTH, 470w; in child. 488s; in schools 471b,488r
DENTISTRY, appar. 408p,410j; educ. 428e; in child. 409p,488p,488q; in Sweden 488a; instruments 333v; material 410j,489o; neurol. asp. 333r; public health 410b; surg. 334q,430i
DENTISTS, 487q,487r; cancer detection 554-1; occup. tox. 410g
DEPRESSION, mental, pharm. asp. 378g
DERMATITIS, 426u; contact, diag. 420v; etiol. & pathogen. 411o,426s; exfoliative 550v; from clothing 513h; gangrene 528g; herpetiformis 490e,490o; lacquer 538m; lichenoid, trop. 368r; medicament 368o,368p; neuropathic 490a; occup. 376e; purulent 410r; ther. 363k; toxic 504h; X-

ray 448o,529g
DERMATOLOGY, research, Sweden 349d; ther. 490g,527b
DERMATOMYCOSIS, ther. 411r; tropical 490b
DERMATOMYOSITIS, 363k,411a,441t,507o
DERMATOPHYTOSIS, ther. 358q,454k,454m
DERMATOSIS, allergic 513g; pigmented 528d; striped 363m,363u; ther. 411q
DESERT, 340p
DESOXYCORTICOSTERONE, 503b; eff. 325d; pharmacol. 338a
DEUTERANOPIA, unilateral 458g
DIABETES, 357a,447-1,447u,448i,505e,539d,548t; alloxan 326a,353d,447q,449p,--resist. 325g; coma ther. 431t; compl. & seq. 364g,433-1; etiol. & pathol. 450i,502c; exper. 324p,326a,495w; in child. 453f; in mothers 338g; in pregn. 497t; insipidus 369f,525o; kidney in 358s; metab. 431-1, 524c; pathol. 435j; phospholipids in 324p; renal 345q; surg. 346u; temporary 411v; ther. 352i; 373g,505f,528v
DIAMINES, eff. 387o
DIAPHRAGM, abscess 475g; eventration 502b; physiol. 473f; tumor 537n
DIARRHEA, chronic 362e; milk allergy 412v; ther. 346b,514b
DIATHERMY, 372k; surg. 498-1
DIATHESIS, hemorrhagic 436w,--medicament. 532t
DIBENAMINE, 387f,484j
DICROCOELIASIS, in Nigeria 398f
DICUMAROL, 427v,519o; eff. 412e,473o,503c; ther. 346r,393o; tox. 414i,450k; use 357t
DIENCEPHALON, eye rel. 383g
DIENTAMOEBA FRAGILIS, 554s
DIET, 513d,542h; dent. asp. 409i; eff. 375c; fat. 412f; low sodium 375b; statist. 392e; vegetable 520t
DIETITIANS, 457f
DIGESTION, enzymes 555n; mysteries 457j
DIGESTIVE SYSTEM, allergy 474k; hemorrh. 451g; obstr. 556o; physiol. 446-1
DIGITALIS AND DERIVATIVES, 433d; digitoxin, colorimetry 386f; intravenous 352i; pharmacol. 387i; ther. 534j; tox. 524a
DIHYDROTACHYSTERIN, ther. 386w
DIISOPROPYL FLUOROPHOSPHATE, 468c
DIPHTHERIA, 516c,553j; antitoxin 412j; bact. 549h, 555-1,555t; carriers 362r; diag. 363h; epidem. & statist. 555t; immun. 343g,436o,553v; in Brit. Army 453m; infants 461t; Norway 502f; paranasal sinus 545s; ther. 351c,426n,523j; toxin prep. 343v; toxoid 420g
DISABILITY, etiol. & pathogen. 392i; insurance 349t; rehab. 375s,452g
DISCIPLINE, in penitentiary 456b
DISEASES, age incidence 554f; anthropol. asp. 520q; chronic 358d; hered. asp. 372q; hist. 508j; skin symptoms 370w
DISINFECTANTS, 476e,551k
DITHIOBIURET, eff. 387k
DIURESIS AND DIURETICS, 367a; antagonist 450n; eff. 359f,468o; exper. 453b; hormones 477t; mercury 453i,508s; restraint 516j; tox. 532b
DROSOPHILA, genetics 338u; melanogaster 456g; X-rays 494b
DRUGS, 381c; antimalarial 388h,465s; cellulose in 466-1; curariform 387w; dent. asp. 333s,447c; for common cold 467a; for emergency 475t; goitrogenic 388i,388k; N. F. VIII 385p; starch, determ. 386b; spasmolytic 426m; sympathomimetic 387o; synthetic, organic 551s; trade, hist. 465i; tox. 364t
DUODENUM, abnorm. & deform. 383w,502s; cancer 393g; cyst 394i; dis. 492i; hemorrh. 451f; parasites 482s; roent. 553-1
DURA MATER, abscess 443-1,460b; tumor 536-1
DUST, 421g,494n; anal. 421f; inj. eff. 500n
DWARFISM, 532q
DYES, aminoazo 326g; carcinogenic 326g
DYSCHONDROPLASIA, 512-1; unilateral 384m
DYSENTERY, bac. 461d; compl. & seq. 517s; immun. 325n; vaccin. 343e,343f,343g
DYSGERMINOMA, 535c
DYSOSTOSIS, enchondralis epiphys. 384i; mandibular 522m
DYSPEPSIA, 533r
EAR, 459c; anat. 546p,--compar. 459q,545h; cerumen, impacted 526h; cochlea 460k; dis. 531c, 531d; endolymph resorption 349e; external 374h, --function 439a,508v,522-1; infect. 546w; middle 459q; ossicles 459q,545h; physiol. 553c; plastic surg. 397c,397d,522g; pressure change 545r; vestibular dis., medicament 455-1; wds. & inj. 459r,520j
ECCENTRO OSTEOCHONDRODYSPLASIA, 437p
ECHINOCOCCOSIS, cerebral 558a; pulmonary 473c, 558f,558i; roent. 472q
ECLAMPSIA, 507o,512-1; compl. & seq. 419b; metab. in 361w
ECTODERMOSIS EROSIVA PLURIORIFICIALIS, 551g
ECTROMELIA, infectious 383t
ECZEMA, etiol. & pathogen. 364e,426r; in child. 503o; medicament 533f; occup. 445j; ther. 490h, 517h,--infants 436r; vaccin. 550q
EDEMA, 357r,435n; cardiac 348q; diag. 502i; etiol. & pathog. 351n,435o
EFFICIENCY, physical 375d
EGGS, 388w,389b; membrane permeability 496o
ELBOW, plastic surg. 378a
ELECTRICITY, 416b,493h
ELECTROCARDIOGRAPHY, 326i,328a,328j,355i, 374k,468m,485d,510j,511f; bundle branch block 485f; coronary vessels 327w; in child. 553p; in patent ductus 522d; in syphilis 478-1; precordial 529-1; respiratory factor 328f
ELECTROENCEPHALOGRAPHY, 338i,348d,348k, 352e,378q,379n,379t,385f,430d,523g,523n,532o; in hypnosis 379i; in poliomyelitis 511s; leads 540c
ELECTROKYMOGRAPHY, 328g
ELECTROLYTES, eff. on blood 519k
ELECTROMYOGRAPHY, 368-1
ELECTROPHORESIS, proteins 484r,484s,484t
ELECTROTHERAPY, appar. 497i; in dent. 430i
ELECTROVECTOCARDIOGRAPHY, 385h
ELEPHANTIASIS, 445v; genital 363k; surg. 484p
ELLIPTOMETER, 492a
EMBOLECTOMY, 506g; aortic 441u
EMBOLISM, arterial 395j,434f; femoral artery 475m; multiple 506g; peripheral 321n; postop. 473j; pulmonary, multiple 359p,447n
EMPHYSEMA, 351o,558h; mediastinal 503e,518p, 559k
EMPYEMA, in child., ther. 384a; staphylococcic 524q; ther. 362a
ENCANTHIS, malignant 544o
ENCEPHALITIS, B, vaccine 375-1; blastomycosis 438w,508t; compl. & seq. 378g; medicament 515e
ENCEPHALOMYELITIS, equine 325j,327a,375p,420q, 442h
ENCEPHALOPATHY, measles 461v; medicament 354e,366s
ENDAMOEBA, histolytica 398j,--infect. 496a
ENDARTERITIS, obliterans 535r
ENDOCARDITIS, 366m; bact. 345r,360c,365n,365t, 425p,429p,438p,443f,503-1,516w; gonococcal 502t; lents 442t,519s,534u; malignant 514e; staphylococcal 427h; streptococc. 362g
ENDOCRINE GLANDS, defic. 528-1; dis. 369e,463u, 464h,520d; growth rel. 505o; interactivity 510k;

percutan. ther. 426-l; physiol. 481h; sclerosis 520c
ENDOCRINE PREPARATIONS, ther. 347a
ENDOCRINOLOGY, progress 425g
ENDOMETRIOSIS, 394c,423i,452a,475a; colon 441t
ENDOMETRIUM, 572p; cancer 472g,512e; hyperplasia 535u
ENDOSCOPY, 439q; accident 436g
ENERGY, in child. 542k
ENTERITIS, 515w; bacteria immun. 555b; necrotizing 435t,516e; nutritional 516e
ENURESIS, surg. 477p; ther. 452k
ENZYMES, 378r,404t,495t; glycolytic 344m; in tumors 339e,494o; peptic 492b
EOSINOPHILIA, 448r,537m; in prurigo 490w; tropical 519q
EPHEDRINE AND DERIVATIVES, 386n,386o; determ. 386p
EPIDEMICS, control 397t
EPIDEMIOLOGY, 376d; milk products in 413o
EPIDERMODYSPLASIA VERRUCIFORMIS, 410m
EPIDERMOLYSIS BULLOSA, hereditary 438r,515f
EPIDIDYMIS, inflamm. ther. 529j
EPILEPSY, 448u,494r; Brown-Sequard 455f; diag. 523n; etiol. & pathogen. 521-l; in child. 472a; Jacksonian 360a,521-l; liver in 378h; ther. 348d, 384b,465j,507h,528i
EPIPHYSES, destruct. 370p
ERGOT AND PREPARATIONS, 327u; eff. 326h; in electrocardiography 537m; ther. 422k,531-l
ERYSIPELAS, swine 368v
ERYSIPELOID, ther. 363m
ERYTHEMA, 515d; exsud. multiforme 442u,454a, 504u; induratum 506p; infants 364g; medicament 364i; ninth-day 347e; nodosa 510o; pigment. 490c; prev. 411k
ERYTHREMIA, 462e,519u
ERYTHROBLASTOSIS, FETAL, 372a; placenta in 342c; prev. futil 532d; ther. 321t,341r
ERYTHROCYTES, conservation 445m; elliptic 356u, 516v,548m; metab. 401t; microscopy 435q; pathol. 445-l; stippled 491p
ERYTHRODERMA, 515h; ichthiosiforme congen. 401c; lymphatic 515f; pityriasic 363-l; ther. 410r
ERYTHROMELALGIA, 347g
ERYTHROPLASIA, Queyrat 363s
ERYTHROSIS, pigment. 411d
ESCHERICHIA, coli 343i
ESKIMOS, blood 481i
ESOPHAGOGASTROSTOMY, 557n
ESOPHAGUS, abnorm. 368j,492m,492n; cancer 347c, 412p,427f,546p; dis. 427r,459g; enlarged 346w; for. bod. 534r; lesions 394s; obstr. 442k; peptic ulcer 513v; perf. accid. 436g; plastic surg. 558t; rupture 352n; strict. 459h,459m,522e,557n; surg. 442q; wds. & inj. 399v
ESTROGENS, 418i; determ. 386d; eff. 325r; excess. 348-l; in labor 424a; in newborn 461u; precursor 443j; source 339j; synthesis 517f; ther. 338j,366c, 366e
ESTRUS, in mice 327a
ETHER, intravenous 521v
ETHYL CHLORIDE, in spasm 520a
ETHYLENE COMPOUNDS, eff. 401g,401i
EUBASIN, intraspinal 508r
EUNUCHOIDISM, 366-l
EUQUININE, 578g
EUROPIUM, determ. 458i
EUSTACHIAN TUBE, radiother. 545b
EXOPHTHALMOS, malignant 443o
EXSANGUINATION, lab. animals 547p
EXTRACTS, dry, storage 551v; tumor 343t
EXTREMITIES, arterial dis. 357p; blood supply 506s; ischemia 377m; paral. 397n,397o; skin dis. 439p
EXUDATES AND TRANSUDATES, 326q,326s
EYE, abnorm. congen. 381q,463i,544-l; accom. & refract. 382a,382c,431m,543j,543k,543m; atrophy 544k; blood vessels 431-l; care & hyg. 458s; chalcosis 368f; degen. 544-l; develop. 543a; diag. symptoms 350d,544c; dis. 381p,515q; dropper use 504g; emergencies 534n; encanthis, malign. 544o; exam. 382n; for. bod. 368g,451u,544h; fungus infect. 543s; hypopyon 543r; in diabetes 431-l; in systemic dis. 438m; inflamm. endogenous 542r; local adaptation 542s; mercury tox. 444u; miotic 544g; movements 545o; neurol. asp. 383g; optic disc cup 382h; optics 382c; paralysis 436m; physiol. 326n,540c; post vaccinal compl. 544f; pupil 382f,382g; surface, veins 544i; surg. 514i,543u; Tenon's capsule 382i; tension 381r,--excess, in child. 543v; tumor 462f; virus dis. 458b; white ring 368i; wds. & inj. 520k
EYELID, anthrax 432k; in cadaver 533e; occup. dis. 445j; ptosis 382j,382-l; styes 431m; surg. 382-l, 396t,543c
FACE, cancer 396s; dis. 489d; hemihypertrophy 335h; infect. 488j; melanosis 363t; orthopedics 488u; pain 334e; paralysis 394f; plastic surg. 321u,396s,460o,545a; wds. & inj. 558n
FALLOPIAN TUBE, cancer 397h; hydatidiform mole 418n; hydrosalpinx 418q; oblit. 436p; patency, determ. 341q; perf. 395-l; roent. 440g,512b; surg. 444m; tuberculosis, roent. 341j
FALLOT'S TETRALOGY, surg. 519a,519c,599b
FARMOCAINA, 546j,546k
FASCIOLIASIS, 510a
FAT, determ. 441m; intravenous 412c; metab. 326o,404q,506g
FAVUS, 363w
FECES, calculi in 364p; disinfection 507b; fat 468g
FEMUR, abnorm. & deform. 321i,481o; anat. 434o; fract. 431t,475e; neck arthrosis 434u,--fract. 377o,428h,521t,--nailing 366p; plastic surg. 366r; roent. 434o,515r; tumor 396-l
FENESTRATION, 356m,372e,520n,522p,531o; in child. 463k; indic. 522f; Lempert's 383d; physiol. 459o; results 522p; spinal punct. test 459t
FERTILIZATION, genetic asp. 389d; hyaluronidase in 496h
FETUS, age determ. 393i; asphyxia 452a,505u; conditioning 389r; hormone response 337s; intestinal sten. 556h; iron metab. 449o; position 514r; vernix caseosa 418c
FEVER, etiol. & pathogen. 361h; recurrent 421s; slow 526f; ther. 344w
FIBERS, synthetic 465a
FIBRIN, defic. 508-l
FIBRINOGEN, defic. 436n
FIBRINOLYSIN, streptococcal 503a
FILARIASIS, Bancroft's 398b
FINGER PAINTING, 389u
FINGERS AND TOES, 335i; neuritis 377f
FIRST AID, appar. 551m
FISH, exper. zool. 324g; poisons 466j; yellow bass 339f
FISTULA, arteriovenous 373c,453p; bronchoesophageal 548o; cholecystoduodenal 347j,412s; esophageal 535s; gastro-bronchial 393n; nasal 383d; visico-rectal 347t; vesico-vaginal 418p
FITZ, REGINALD HEBER, 499n
FITZ'S SYNDROME, 411g
FLIES, dis. carriers 373m
FLOUR, bleached 375e; in France 532j; tox. 542a
FLUIDS, 362o,365j,496v; balance 322a,345m; dif. fusion coefficient 416g; parenteral 466b; physiol. 467t; replacement in surg. 322e
FLUORINE AND COMPOUNDS, 468c; dent. asp. 408t,409f,409g,409-l; in teeth 408w; methyl fluoro-

acetate 465o; ther. 368-1
FOCAL LESION, coma 455o
FOLIC ACID, 435h; derivatives 385-1; eff. 326o; microbiol. 322t; pharm. 465c
FOLLICULIN, eff. 339v; ther. 434g
FOOD, 457p; absorption 550f; adulter. 457n; bact. exam. 390r,390w; in starvation 542o; military 374-1; poisoning 527t,554g; required 438-1; sanit. 390q,391w,554j; supply 537e,537j
FOOD, DRUG AND COSMETIC ACT, eff. on cosmetics 381c; eff. on industry 381b; enforcement 381a, 381f; hist. 380w; abnorm. & deform. 368d,426n,45
FOOT, abnorm. & deform. 368d,426n,451a,454-1, 526d; arch 368b; brace 497m; club 378c; flat 371h; melanoma 370a; neuralgia ther. 454-1; pain 448-1; paralysis 377u; surg. 395u
FOOT-AND-MOUTH DISEASE, 383p
FORCEPS, inj. eff. 347u,427j
FOREIGN BODIES, in psychopath. 395b
FORENSIC MEDICINE, 449g,459b,481t,493q,531f
FORMOGUANAMINE, tox. 367a
FOSSILS, human 520b
FRACTURES, etiol. 452j; in child. 364q; ther. 439h
FRAMBESIA, in Massachusetts 521o
FRIGHT, eff. 373v
FROG, hybrids 324-1; evolution & growth 418j; tail regeneration 403f
FRONTAL BONE, osteomyelitis 460c
FROSTBITE, ther. 526o
FUNGI, mosaic 335g; tox. 527t.552m
FUNGICIDES, 340k,401g,401i
FURUNCULOSIS, compl. & seq. 452n; diabetic 539d
GALL BLADDER, ascariasis 509d; calculi 437v; cancer 432j,442d; cyst 438d; gas gangrene 337a; inflamm. 394d,428h; insuff. 558s; papilloma 442-1; roent. 556i; rupture 558j; shigella in 461d; surg. 355-1,444h; torsion 423d; volvulus 395h
GALLSTONES, 511i
GAMMA-GLOBULIN, uses 523a
GANGLION, cervical sup. resection 445h; gasseri, puncture, roent. 334i
GANGRENE, 336d,356r; prev. 521v
GASTRECTOMY, 475i,557f; results 412v
GASTRITIS, 337f,337j; postop. 337e; ther. 434r
GASTROENTEROLOGY, gyn. asp. 520q; progress 425i; U. S. 346v
GASTROINTESTINAL TRACT, cancer 559f; dis. 355m,492p; electricity 493h; hemorrh. 372c; physiol. 326m; simul. dis. 336w; spasm 508f; surg. 372f
GASTROSCOPY, 441g,492t; color photography 336t; compl. & seq. 337k; indic. 537u
GASTROSTOMY, 442k
GAUCHER'S DISEASE, 461k; in child. 462c
GENETICS, 338q,338w,494c; biometrics 483n; birth-order effect 338n; characteristics equation 338o; chromosomes 403h; contingency tables 483v; correlation 484b; frequency curves 483s; in nervous dis. 440n; in rye & wheat 339b; in stomatology 487h; in twins 338s; mean valves 483q; medical applic. 534a; physiol. asp. 493v; polarized segregation 339a; probit analysis 484a; sampling 483n,483s,483w; sex determ. 338v; significance tests 483p,483t,483u,484b; statistics 483o; tests for randomness 483r; variance 483m,483p; X-ray eff. 494b
GENITALS, acute infect. 499b; cancer 350a; hypoplasia 440w; precocity 461v; prolapse 342-1, --surg. 497v; tuberculosis 498h; tumor 498o
GENITOURINARY TRACT, cancer 428j; dis. 548j; infect. 417q,443c; ther. 400f; wds. & inj. 520-1
GENTIAN VIOLET, 384s,385v
GERIATRICS, 368v,368w,425a; vital capacity 354v
GERSTMANN'S SYNDROME, 532j
GIARDIA, lamblia, in child. 549u
GINGIVA, abnorm. 408q; dis. ther. 430h; pockets 334m; sulcus 408o; tuberculous ulcer 370e
GLASS, structure 544s
GLAUCOMA, 368h,381v; cycloplegic, prev. 381s, mild 381-1; postop. 352-1; surg. 543f,546s; tension 381u
GLOBULIN, immune 344n; sediment 355s
GLOMUS, neuromyoarterial 366g
GLOTTIS, paralysis 546o
GLUCOSE, eff. 489h; exper. 495w
GLUTAMATE, 457p
GLYCEMIA, 498k
GLYCERINE, 541r
GLYCINANILIDE, chem. 386-1
GLYCOGEN, form. 577u
GOITER, 396o,461i,519e; colloid 359w; endotracheal 531g; exophthalmic 435v; exper. 397i; Hashimoto's 461h; in Australia 437h; in Colombia 470v; in Spain 528c; lingual 362w; nutrit. asp. 437m; postwar 453b; ther. 449a
GOLD AND COMPOUNDS, ther. inj. 504g
GOLGI APPARATUS, 496n
GONADOTROPINS, 467n; chorionic 342a,--excess 342d; ther. 341k,372o
GONADS, hypofunction 434r
GONOCOCCI, culture 323h,363u,400r,439j
GONORRHEA, 538o; abscess 410q; diag. 439j; natural immun. 436r; ther. 364c,364u,424n,480e, 480f,510a
GRANULES, 517e
GRANULOCYTOPENIA, 366k
GRANULOMA, annulare 368-1,368n,490d; inguinale 478d,520r; lipoid 473u; siliceous 346n
GRAPHITIC OXIDE, 340j
GROWTH, 484e; endocrine asp. 505o; excessive, constitutional 463o; exper. 326b
GUILLAIN BARRE SYNDROME, 524f
GYMNASTICS, medical 372b
GYNECOLOGY, 348a,524e; hormone ther. 515c; microscopy 418g; ther. 370t,417v
GYNECOMASTIA, 452s
HABROBRACON, exper. physiol. 469k
HAIR, 439s; eyebrow 527m; graying 373v; green 340i; growth 481h,--prevention in grafts 374v; in child. 481i; removal 497k
HALLUCINATIONS, 539t
HALLUX, valgus 368q; surg. 352b
HALOGENS AND COMPOUNDS, eff. 547t
HAND, absence 396b; disinfection 351q; for bod. 556j; infect. 357k; Krukenberg plastic 455c; surg. 523b,558g
HAND WRITING, 426o; research 440r
HANGER'S REACTION, 526w
HARELIP, 365g; infants, surg. 436i; plastic surg. 355d
HARVEY, WILLIAM, 418-1
HARVEY'S, De motu cordis 419k
HAY FEVER, 358d; in Seattle 523w; in South U.S. 512n; ragweed 460g; ther. 537i
HEAD, abnorm. 531h; wds. & inj. 361k,520i
HEADACHE, 371j,431o; ther. 511t
HEALTH, 484m; educ. 554b; eff. of war on 433v geographical asp. 533m; in Egypt 354j; objectives 465d; rural 554b
HEALTH CENTERS, Calif. 391b; Henry G. Morgan 471t
HEALTH RESORTS, in Alps 370j; in Germany 392m; in Switzerland 530-1
HEARING, acuity 349t,382v,382w,459j,460f,522m; disord. 531e; surveys 384d; threshold 544v
HEARING AIDS, 355p,362e,506i,527e
HEARING TESTS, 522k,545c; Gelle's 544w; in nervous dis. 545i; vocal 545b

HEART, abnorm. 425p,461j,462j,462r,463c,463i,464r, 485h,549v; auscultation 454a; block 485f,502j; dextroposition 351c; exper. physiol. 468k; failure 328h,345r; function test 453e,--in child. 550k; hyperplasia 518p; infarct. 328d,360o,374k,429k, 441d,485d,548n; insuff. 335w,359f,373r,395h,435m, 438n,441f,503k,512e; muscle dis. 428m; pathol. 373c; physiol. 328e,351q,468q; roent. 392v,472t, 515a; subaortic stenosis 550b; surg. 519a,519b; sympathetic nerves 354b
HEART DISEASES, 328c,328g,369h,427i,432a,444a, 449n,537b; air travel 360-l; chemother. 440b; control 485c; cyanotic 322a; emergencies 373h; in child. 550j; in pregn. 485e; kidney rel. 528e; malign. 327h; psychosom. asp. 370h; ther. 345d
HEAT, eff. milit. asp. 453o; tolerance 506d
HELIOTHERAPY, 553g
HELIUM, 468f
HELMINTHS, antagonist 465k
HELOMA, 363r
HEMATEMESIS, in child. 437-l; in hiatus hernia 425q
HEMATO-ENCEPHALIC BARRIER, 548i
HEMATOMATA, ossifying 393h
HEMATURIA, 351t,532v; ther. 349u
HEMIPLEGIA, 422g; painful 541b; postop. 436m; ther. 348j
HEMOCHROMATOSIS, 328k
HEMOGLOBIN AND COMPOUNDS, 398h,467r; determ. 412m; dosage 491g
HEMOGLOBINURIA, milit. asp. 374q
HEMOLYSIS, 491h
HEMO-OPHTHALMIC BARRIER, 531b
HEMOPHILIA, 365s,412d,413f,508-l
HEMOPNEUMOTHORAX, ther. 399w
HEMOPOIETIC SYSTEM, surg. pathol. 557b
HEMORRHAGE, 370-l; etiol. & pathogen. 432f; intracranial, in newborn 437k; post-dental 334s
HEMORRHOIDS, postop. care 358t; ther. 362q
HEPARIN, assay 386n; eff. 412e,417r; preparations 366n; uses 357t
HEPATECTOMY, exper. 467r
HEPATITIS, 438a,503k; acute 364o,473n; allergic conditions 336r; chronic 436b; compl. & seq. 435b; exper. animal 375k; homologous serum 356p; infect. 336a,346o,353a,359a,364o,371e,372k, 439d,445j,510-l,510r; surg. 364o; ther. 372k,524i
HEPATOSPLENOMEGALY, 502h
HERBICIDES, 484d
HEREDITY, 509u; human 482c; in dis. 372q; mechanism 482b
HERMAPHRODITISM, 341s,535c; etiol. & pathogen. 531-l; tumor 403t
HERNIA, diaphragm. 384t; Douglas' pouch 418h; hiatus 345b,412r,425q; in geriatrics 349r; in infants 464o; inguinal 393v,506-l; irreducible, infants 361h; mediastinal 430r; obturator 430b; perineal 394t; repair 394t; sliding 475d; surg. 356o; suture material 435w
HERPES, 325m; genitalis 536m; ther. 347g; zoster 423m
HETEROCYCLIC COMPOUNDS, 332i
HEXENOLACTONE, eff. 420k; ther. 420j
HIP, abnorm. & deform. 377j; ankylosis 368m; arthritis 345c,347n,367r; bursitis 474o; disloc. 368p, 377n,377t,378a,474a; fistula 395q; fixation 431a; fract. 396q; innervation 454p; Pandak's plastic 362k; surg. 357b,377e,377f,377q,377t
HIRUDIN, ther. 504o
HISTAMINE, antagonist 353t,361t,387w,388d,388f, 439c,447r,465w,495a,495b,502-l,503p,507g,522v, 525k,537d,506k; eff. 326d,440-l,532f; ortho oxybenzoate 441h; pharm. 458c; use 545-l
HISTAMINEMIA, 431c
HISTIDINE, action 559b
HISTIOCYTES, in newborn 515p
HISTOLOGY, roent. research 349f; tech. 437u
HISTOPLASMA, capsulatum 392b
HISTOPLASMIN, sensitivity 345a
HODGKIN'S DISEASE, 355b,515o,516o,517o,521p; compl. & seq. 548o,556t; cutan. 335o; immunity 343u; in pregn. 429q; surg. 371p
HOFMANN REACTION, 332i
HOLMES, OLIVER WENDELL, 499p
HOMEOPATHY, 376s,376t,428s,539b
HOMOSEXUALITY, endocrine asp. 525c
HONEY, 440c; intravenous 428m
HORMONES, 515s,535n; antagonists 372o,467n; in gyn. & obst 351v,432k; ointment 515c; percutan. ther. 426-l; physiol. 467k; ther. 517g,537c,550w
HORMONES, SEX, 338i,362v,434p; cancer rel. 430d; eff. on sex differentiation 402h; exper. 397i; in amniotic fluid 499a; in cancer 342j; in deer 367i; in gyn. & obst. 342j,499c; in sex life 516r; iron rel. 342f
HOSPITALS, 449i; admin. 419s,419u,440f,499w,500d, 500e,503s; costs in Holland 419r; in Canada 391f; in Denmark 364r; in Ireland 512j; laundry 420a; maternity 549t,500b; pediatric 456w; physician's rel. 522t; planning 470q; psychiatric 456a,456b, 456q,456r,559r,--service 444a; publ. rel. 342p; recovery room 361a; rural 380u; shortage 518b; staff 503r,503s; standardization 364r,503q; U.S. 420a
HUMERUS, fract. 447k,447m,527r,--appar. 523s
HYALURONIDASE, 461b,496h; eff. 433i; ther. 341o
HYBRIDS, in Musa 339w
HYDANTOINS, tox. 534i
HYDATID MOLE, endocrine asp. 372m
HYDROCARBONS, chem. 332j; chlorinated 421-l
HYDROCEPHALUS, otitic 459s
HYDROGEN, peroxide 386u
HYDROGEN ION CONCENTRATION, eff. 392b
HYDRONEPHROSIS, 400e; ther. 477s
HYDROTHERAPY, 426p
HYDROXYNAPTHOQUINONE, M2279, 344p
HYPERTELORISM, ocular 551f
HYPERVENTILATION SYNDROME, 379g
HYPNOSIS, neuropsychiatric asp. 379f
HYPNOTICS, in neurology 531w
HYPOTHALAMUS, dis. 523i; toxins 461g
HYSTERECTOMY, 418m,418t; compl. & seq. 352-l, 418s; in obst. 507r; indic. 507q,524n
HYSTERIA, 379d,437f; loss of sensation 424m
HYSTEROSALPINGOGRAPHY, 418h,440q,504q,512b; in tuberculosis 341j
ICE CREAM, bact. 471n
ICHTHYOL, ther. 438g
ICHTHYOSIS, congen. 535p
IDIOCY, amaurotic 523j; blood in 523j; keratosis in 363o
ILEITIS, in pregn. 493c; regional 505m,517a; roent. 412q
ILEOSTOMY, 475c
ILEUM, atresia 507f
ILEUS, paralytic 527w
ILIAC FOSSA, lipoma 558g
ILIUM, transpl. 360s; tumor, surg. 473i
IMMUNITY, 551r; fertilization rel. 389d; tachyphylaxis 387h
IMPETIGO, 446i,476e; ther. 464f
INCUS, tymp. membr. rel. 545h
INDUSTRIAL MEDICINE, 344d,453h,472c,500r; dentistry 410c; diff. diag. 420w; psychol. asp. 469a,469b; psychopathol. 428p; ophth. 421a; physician 500p
INDUSTRY AND OCCUPATIONS, 458t,470i; accidents 370j; alumina 421c,421d; benzene deriv. 500j; carbon monoxide 500u,532g; eff. on vision 523i; flour 509m,556j; hist. 470j,470k; hyg. 390v,

471h,500t,555p; lead 344h,421m,500p,509g; legislation, Germany 553t; neoprene 421i; propylene dichloride 421h; safety 352c,458t; silica 500n; statist. 500q; theolog. asp. 470k
INFANT, alkaptonuria 491i; anemia nutrit. 437s; ataxia 464m; care & hyg. 440r; diag. by intestinal bact. 532n; diarrhea 550f,550g; eczema 436r, 550p; erythema 462h; eye dis. 510b; feeding 433q,506g,550g; formula 437k; gastroenteritis 459u,462p,541-1,541m,549t; hepatic cirrhosis 462v; intestinal obstr. 556o; intestines, roent. 464a; meat hydrolysate in 542-1; mortal. 440q; nursing nipple 417h; nutrition 336c,420c,435c, 549r; otitis media 459u; penicillin, blood level 384a; resuscitation 418u; splint 424b; tuberculosis 336i; vitamin C 533q; vitamins 533q;
INFANT, NEWBORN, birth traum. paral. 384q,424b, 549v,549w; blenorrhea 431p; blood dis. 463a; dis. 384t; dysentery 524v; formula rooms 464n; goiter 463r; hemorrh. tendency 549p; histiocytes 515p; hypoglycemia 462-1; identification 419f; infect. 549t; intest. volvulus 462m; intracranial hemorrh. 437k; kernicterus 463q; kidney dis. 463t; protozoid cells 434k; respiratory obstr. 463w; scleremа 463p; septicemia 549o,549s; tachycardia 328-1; tetanus 346s; toxicosis 345m
INFANT, PREMATURE, 529c; abnorm. 521u; hosp. care 463b; statist. 528u
INFANTILISM, 369d
INFECTION, 529b; chemother. 347m; focal 426u,451o,487n,525n; laboratory 326v; penicillin ther. 393r; resist. 368u
INFLAMMATION, fibrin barrier 549g
INFLUENZA, 348w,376o,436f,530e,549c; anti-serum 343r,343s; atypical 343o; B 460-1,502h; epidemiol. 424u; equine, compl. 375q; immun. 555f; ther. 422h; vaccines 343h,365p; virus 322m,343-1,343m, 343p,451i,554w,555a
INHALATION THERAPY, 322c
INJECTIONS, fat 412c; infect. danger 370i; intra-arterial 508g; intraosseal 474h; intrauterine 367-1; intravenous 426g,475f; needle storage 504g; spinal, inj. 508r
INSECTICIDES, 476e; plant 385t; tox. 375r,387e, 403a
INSECTS, 402m; bites 520f; control 375w,501t
INSTINCT, food hoarding 469m
INSTRUMENTS, scientific 496q; surg. 417f
INSULIN, 515b; eff. 336o,448-1,461a,495w; globin 505f; increased secretion 535p; ther. 372k,373s, 448r
INTELLIGENCE, 542t; changes 456u; eff. of war 541i
INTESTINES, 442e; amebiasis 352w; aspiration, in child. 551d; bact. 428-1; dis. 337d,493f; flora 484k; gangrene 515w,516e; hemorrh. 451g; in hypertension 346-1,424c; infarct. postop. 347s; infect. 452d; inflamm. 454e,504k; invag. 395f, 423i,473t,506j,557o; mesenteric infarct. 395a; motility 528m; obstr. 360-1,475a,520q; parasites 441-1,451i,532g; pathogenic bacteria 508u; perf. 432f,444f,464p; pharm. asp. 325b; physiol. 396k; protozoa 482v; strangul. 418h; surg. 558w,---compl. & seq. 352-1; tuberculosis 510f; tumor 361m,473m,--Brunner's glands 336r; ulcer 357e; volvulus 347o,445r
IODINE AND COMPOUNDS, 385r,551m,557-1; allergy 515d; histochem. 491v; metab. 397i; proteins 502e; radioactive 359i,366e,388i,388k
IONIZATION, deter. 556f
IRIDOCYCLITIS, 368d; recurrent 423o
IRIS, agenesis 371r,--bilateral 368h
IRON AND COMPOUNDS, 458m; metab. 478h,--fetal 449o; obst. asp. 342f; ther. 517h
ISCHEMIA, eff. on muscle 549b
ISOPROMIN, 439p
JAUNDICE, 357m,360i,525i; constitutional 505a; etiol. & pathogen. 356a,362b,365u,514g,523f,548-1; hemolytic 435b; in child. 499k; in newborn 455j; nuclear 361u,549o; obstr. 437v; salvarsan 361v; ther. 364n
JAW, abnorm. 334i,334o,489j; abscess 489f; condyle hypertrophy 488b; cyst 334-1,334p,460i; fract. 334g,489a; infect. 488j; necrosis, phosphorus 430j; osteitis 408k,488e; surg. 334d,373r; tumor 334h; wds. & inj. 409r
JEALOUSY, sexual 540o
JEJUNUM, diverticulosis 394j; ulcer, surg. 524k
JOINTS, ankylosis surg. 362k; brace 417j; dis. 378k, 521i; ischemia, acute 395j; Lisfranc's, dis. 532s; penicillin ther. 377g; surg. 396e,396g,396f; tibiotarsal, surg. 370o; tuberculosis 511g,511q; wds. & inj. 505c
JUVENILE DELINQUENCY, in Bordeaux 355c
KALA-AZAR, exper. 398d; in child. 463g
KAPOSI'S VARICELIFORME DISEASE, 384w
KERATITIS, filamentosa 544n; ribbon-like 368h
KERATOPLASTY, 424-1; in trachoma 544d
KERATOSIS, 515e; climacteric 363n; congen. 491c; cosmeticogen 429p; follicularis 370b,490j; infants 363o
KIDNEY, abnorm. 417w,429n; abscess 347r; agenesis 365q; artificial 428f; blood circ. 369b; calculi 433c,448f; cancer 360f; cystic dis. 349u,463t, 511k; dis. 380p,432p,444f,501c,528e,560f; echinococcosis 557m,558d; funct. tests 326t,336-1,345q, 451b; hypernephroma 462b; in pregn. 441w; insuff. 510j; physiol. 467s,468k,468-1,484-1,495c,--compar. 547t; ptosis 524d; surg. 326k,373u,376k, 400g,--pyelotomy 477p; tuberculosis 357o,393v, 538h; tubular reabsorption 450n; tumor 514t,514u
KLINE'S TEST, 536k
KNEE, deform. compl. & seq. 536a; in ascariasis 374r; ligaments 558k; surg. 370n,377r,395r
KOLMER'S TEST, 538o
L ORGANISMS, 400-1
LABOR, 441j,498n,529c; breech pres. 351r,352s, 534u,534v; compl. 423j,507o; in hip disloc. 515q; in tuberculosis 451w; inertia 368s,424a; pain 423d; pharm. asp. 531-1; prim. 498b; prolonged 353o; psychol. asp. 541h; shoulder presentation 354n; similarity in twins 423w; uterine control 418u
LABORATORIES, 402p,539u,552b; appar. 325t; biochem. 523-1; in Bible 340q; pharmacol. 523-1; technician 491s; tests 446m
LABYRINTH, caloric exam. 522n; edema 545s; in brain tumor 353p; inflamm. 460b; physiol. 468s, 522i,522o,545t; surg. 460a
LACQUER, source 465e
LACRIMAL ORGANS, dis. 543q; duct impatent 543h; secretion, eff. 458d
LACTATION, physiol. 327n; prolonged 342a; psychol. asp. 513q
LAGOPHTHALMUS, physiol. 381q
LANDRY, GUILLAIN BARRE SYNDROME, 524f
LARYNX, cancer 460q,545c,548f; ictus 383h; inflamm. in child. 460-1,461u; innervation 546i; keratosis 460d; neurofibroma 459m; paralysis 546h; sarcoma 423u; spasm 370d,--fatal 437e; sten. 460c,505o,534w; surg. 546j; tuberculosis 531g,533v,545f,559j
LATHYRISM, 373u
LAUGHLEN'S TEST, 400n
LEAD, tox. 421m,465p,509r
LEARNING, 389m,470b,470c; methods 390i; psychol 390k; spatial 469j
LEFT AND RIGHT-HANDEDNESS, 389-1
LEG, dis. 349u,364v; edema 361f; gangrene 560o; prosthesis 377p; restless 364d; skin graft 376c;

surg. 447h; thromb.arterial 508k; ulcer 364d, 531p,535s; unequal length 454q; vasodilating surg. 348j,538r
LEISHMANIA, donovanis 478d
LEISHMANIASIS, 447u; cutan. 411j,538e; diag. 400q; exper. 411p
LENS, CRYSTALLINE, opacity 368h; tumor 489w
LEONTIASIS, ossea 408-1
LEPROSY, 368q,410o,489s,490p; compar. 483h; epidem. & statist. 555u; hospital care 422g; in India 345u; in Portugal 512t; progress 505t; research, Norway 363g; ther. 368r,439t,522a,555f
LEPTOSPIRA, icterohemorrhagic 344q
LEPTOSPIROSIS, 531q; animals 375q
LEUKEMIA, 500-1,508b; cutis 411e; exper. 327k, 327-1,341a; in child. 462w,472j; in pregn. 341k; metab. theory 533c; myeloid 357e,535e; neurol. asp. 356p; statist. 457i,465i; surg. 333w; ther. 362u,467e,523e,529r,535j,535q
LEUKOCYTES, 468h,502k,537s,548-1; 327-1; in pelvic infect. 417q
LEUKOPLAKIA, 490b
LEYDIG'S CELL, hyperplasia 338h
LICHEN, nodular 490d; planus 376j,410o
LIFE, 435i
LIGHT, inj. eff. 364b; sensitivity 383g,490q; ther. 358i
LIP, cancer 334d,334n,403o,453v; furuncle 534w; hyperplasia 463s
LIPEMIA, idiopathic familial 502h
LIPIDS, anticoagulant 325v; in diet 325u
LIPOCHONDRODYSTROPHY, 437q,463g
LIPODYSTROPHY, 452s,520a
LITHOPEXY, 477u
LIVER, abscess 347c,353v,354n,356s; amebiasis 348e,374s,439n; arginase 326k; biopsy 356d,437t, 510r; cancer 347-1; cirrhosis, ther. 335t,345n, 356d,356g,357c,364m,421q,430u,431b,432v,434k, 532s; dis. 326k,346o,347a,364n,375b,440m,451p, 507w,528b,549e; echinococcosis 472q; exam. 352g; exper. physiol. 577u; extract 326b,368o, 368p,444d,552e; fibrosis 383o; function test 422p, 361b,372h,372i,412a,412b,432-1,506r,531m,547i; histol. 364p; in malaria 398a; in pregn. 531m; insuff. 355m; lipotropic factor 346j; pathol. 453m, 523f,524h; physiol. 447p,450j; roent. 364p; rupt. 508h; surg. 326f; tumor 360d,393k; wds. & inj. 505j
LUNG, abscess 351a,427e,427f,433-1,446d,446k,448q, 477e,504b,524e,527s,529f; anat. topogr. 545b; aspiration 513r; calcif. 345a,443s,463q; cancer 360v,362u,399n,399o,448k,503m; cyst 511-1,518q; DeMa ther. 399j; dis. 364r,373o,425h,459i,517-1, 556p; echinococcosis 351f,395c,473c,558f,558i; edema 506c,556r; for. body 421g; hemangioma 400a; hemorrh. 536v; hilus, anat. 371-1; infarct., symptom 350v; inflamm. 429g; innervation dis. 399e; parasitic dis. 530p; physiol. 399p; postop. compl. 475o; roent. 353d,354c,364r,427w,438s, 462o; schistosomiasis 430p; seed aspiration 359m surg. 393m,474q,506n,516v,557g; ther. 383k; tumor 383m,514o; vascular dis. 354c; wet, exper. 394e
LUPUS, 446t; cancer in 515h; erythem. 364b,425o; histol. 335o; ther. 335k,335m,335n,364a,364h,443a, 490t
LYE, inj. eff. 459m
LYMPH, cerebrospinal fluid connection 423g; flow 381k
LYMPH NODES, cancer metast. 558r; inflamm. 462k,489d,535k; jugular 505-1
LYMPHOCYTES, lysis 495m
LYMPHOCYTOSIS, acute infect. 363i
LYMPHOGRANULOMA, VENEREAL, 410s; ther. 512v
LYMPHOMATOSE, avian 556v
LYMPHOPENIA, 337u
MACULA, lutea, pathol. in child. 368g
MADDOX RODS, 381m
MAGNESIUM AND COMPOUNDS, eff. 387g; sulfate in obst. 498s; tox. 500t
MALARIA, 398a,398c,501c,510a,521o,525o,554t; blood 335t,501r; bone marrow 537t; carriers 361r; compl. & seq. 525v; congen. 384r; control 422d,501o; diag. 412i,518j; epidem. & statist. 361r,448w; exper. 420m; hist. 496e; immunity 501h; imported 501j,501k; in Bolivia 422b; in child. 384o,551b; pathol. 397w; pulmonitis 421r; relapse 359n,501s; research 501o; ther. 423q, 414f,461a,494j,501i,501q,541u
MAN, evolution 481-1,509t; prehistoric 481k
MANDIBLE, edentulous fract. ther. 376h; function & contour 394f; protrusion 334d; recession 487w; tumor 333q,--infants 368j
MARASMIUS, ramealis 496f
MARFAN'S SYNDROME, 363o
MARRIAGE, among tuberculous 476p; counseling 391j; crisis 391n; premarital consult. 430e
MASK, protective 497-1
MASOCHISM, 350q
MASSAGE, appar. 417c;
MASTOID, inflamm. 371w; radical surg. 545m; tumor 396-1
MATERNITY, health 440q; mortal. 360p,361a,440g; welfare 470w,471s,471v,506t
MATING, insects 469k
MATTER, vital state 483k
MEASLES, compl. & seq. 461v,--prevention 385b; German 521u,524s,--in pregn. 463i,--therapeutic eff. 543i; nephrosis 384g; urethral hemorrh. 550o
MEAT, diseased 471q; inspection 554o; pancreatic digestion 322u; preserv. 375p
MECKEL'S DIVERTICULUM, 529h; mesentery rupture 376n; peptic ulcer 374g
MEDIASTINUM, 508e; abscess 392p; emphysema 448p; inflamm. 396p,522p; tumor 350s,369u
MEDICAL CARE, 358o; in East Indies 361p
MEDICAL EDUCATION, 361o,474g,475t,505w; faculty 426j; in W. Va. 373c,373f; reform. 429b,429c
MEDICAL HISTORY, 493g,510f,534m; bibliogr. 499q in Edinburgh 499s,499t; in Scotland 499r; in Spain 419k;
MEDICINE, 346a,372q,431q,432r,512u; cabinet 497-1; Cameroun's 355r; economics 357v; emergency service 524m; exper. 340m; genetic asp. 534q; humor 428c; in Argentina 422f; in Bolivia 534t; in China 519-1,519m; internal 367s; international 374j; literature 441c; organized 353r; philosophy 441k; practice 440i; progress 365m,433c,450s, 511o,530a,538g; psychological 376t; records 419r,443q; research 414e; rural 464t,500b; social asp. 357h,371t,507r; terminology 422o,422s,505r; ther. 345w; Veterans admin. 357w
MEDULLA OBLONGATA, physiol. 468r
MELANODERMA, 515h; occup. 500s; Riehl's 500s
MELANOMA, malignant 448e
MELIOIDOSIS, 345h
MENIERE'S DISEASE, surg. 459v,460a; ther. 459w
MENINGES, hemorrh. 365d,456n,525s,536b,541a, 557r; pneumatocele 394k; saline infusion 336b; tumor 553o
MENINGITIS, 346d,514f,548h; actinomycoseal 429-1; in child. 371m,440s,462t,520a,532n; influenzal 532p; leptospiral 356d; meningococci 365d; otogenic 547a; parotitic 365c; rhinogenous 363b; ther. 437o,443f,446p; torula 353m; tuberculous 348m,350h,476k,501v,529q,535d,544c,550m
MENOPAUSE, hormone activity 348-1; metrorrhagia ther. 497w

MENSTRUATION, cycle 411g,435q; disord. 349m, 434p,460a; physiol. 419g; psychosom. disord. 341p
MENTAL DEFICIENCY, 371r,437f,441a,463h,529a, 539k,539-1,539p; congen. 437g; in child. 379h, 448t,539j; involut. 518s; sterilization 539p
MENTAL DISEASES, 541t; in Africa 398h,509g; rehab. 352-1; simul. 455v; symptoms 539t
MENTAL HYGIENE, 380s,391m,432h,455q,513f; program 470u
MENTAL TESTS, 390b,457f,469u,469v,469w,539m, 539n; clinical application 469s; H-T-P 552s; job eval. 469f; Kuder 469c; Minnesota MPI 390f; Purdue pegboard 468v; readability 468u; scoring 552u; Wechsler-Bellevue 469o,469q; TAT 552u
MEPERIDINE, 354d
MERCURY AND COMPOUNDS, 343m,453l; mercurochrome 459e; ther. 346w; tox. 444u,500m,532b
MESENTERY, cyst 346p,351m; lipoma in child. 556s; lymphadenitis 506a; lymphangioma 394h;
METABOLISM, 468a; clin. research 375d; endocrine asp. 513b; in dis. 375v; regulation 548a
METACARPUS, fract. 368n
METALS, eff. 476b; structure 414p
METATARSUS, tumor 368k
METHADON, 354d
METHIONINE, eff. 440m; ther. 437a
METHYL METHACRYLATE, allergy 408m
METHYLENE BLUE, 401t,536d
METRAZOL, pharmacol. 547s
METRIC SYSTEM, in med. 465g
MICE, lactation, nutrit. asp. 325g
MICRO-ORGANISMS, 389e; pathogenic 403q; pharm. asp. 414s
MICROSCOPY, 458o; appar. 416-1; electron 322m, 327f,336j,414j,416d,426a,505i; phase-contrast 418g,496n; photogr. 413r
MIGRAINE, 509c
MILITARY MEDICINE, 353a,374c,374d,429j,454b, 482a; atomic bomb 374-1; in emergencies 374b; in Gt. Brit. 478o,519d; Naval med. logistics 376a, --visual acuity 382s; neuropsychiatry 453w; prosthetics 374u; survival rations 375e
MILK, allergy 412v; bact. 390s; in Belgium 529e; products, preserv. 375p,--"mawa" 413o
MILKMAN-DEBRAY-LOOSER SYNDROME, 357c
MINERALS, eff. 457s
MIRACIL D, 431d,465v
MITOSIS, 435e,484f; X-ray rel. 416i
MITRAL VALVE, insuff. in child. 384d; sten. 504h
MOLE, hydatidiform 443w
MOLLUSCA, contagiosa 376i
MOLYBDENUM AND COMPOUNDS, 340g
MONILIASIS, 538h
MONONUCLEOSIS, INFECTIOUS, 345j,376m,528q; electrocardiography 361d
MOON, eff. on reproduction rhythm 509u
MORBIDITY, statist. 534d,554p
MORPHINE AND DERIVATIVES, 354d; addiction 379h; eff. 498k; sensitivity 321s
MOSQUITOES, control 421u,421v,422c,422d,501g, 551j; species 421w; pupae survival 422a
MOUTH, cancer 425r,474p; edentulous 397c; pathol. 334n; surg. 397e,409t,455a; syphilis 355f; tumor 334-1; venereal dis. 430k
MOVEMENTS, disord. 378j,429m; mirror, hered. 455n
MUCIN, 482p,495o
MUSCLES, anat. & histol. 402g; contract. fracturizing 452j; dystrophy 328e,428c; ischemic necrosis 374-1; physiol. 379t,540i; regen. 443m; sarcolemma structure 414j; sound conduct. 459s; surg. plast. 377v,441s,452m
MUSTARD GAS, tox. 387b
MUTAFLOR, ther. 428-1
MUTATIONS, 349a,493t
MYANESIN, 509j; pharm. 387q; ther. 429m; tox. 356r,356w
MYASTHENIA GRAVIS, ophth. asp. 350d; ther. 358-1
MYATONIA, congen. 437r,462d
MYCOSIS, fungoid 347g,364a,489t; infants 462h
MYOCARDITIS, vitamin ther. 371r
MYOSITIS, 363w; ossificans 368o,--in child. 462g; psoas 473r
MYOTONIA, atrophica 338n
MYXEDEMA, 442g,517k; etiol. 445n, heart in 520o
NAIL POLISH, tox. 429p
NAILS, abnorm. & deform. 338p; psoriasis 411c
NAPHTHALINE, derivatives, eff. 413f
NARCOANALYSIS, 395n
NARCOLEPSY, postop. 436m
NARCOSIS, intravenous, psychiatr. 537d
NARCOTICS, 466c
NASOPHARYNX, radiother. 460m
NATIONAL DIET LIBRARY, Japan 340u
NATIONAL SCIENCE FOUNDATION, 340v,416o
NATUROPATHY, 351p
NECROBIOSIS, lipoidica diabeticorum 364g
NEEDLES, 417i; hypodermic, storage 504g
NEODYMIUM, determ. 451p
NEOPRENE, tox. 421i
NEOSTIGMINE, eff. 321o; diag. 498j
NEPHRITIS, 351t,516n; glomerular 359u,367w,452h, 504b,534j; in pregn. 438r,498r; in postwar Germany 516d; milit. asp. 434w; ther. 370u,537d
NEPHROSCLEROSIS, eye changes 542v
NEPHROSIS, 384g,508s; lipoid 373u,432p,443i,464-1
NERVE BLOCKING, brachial plexus, inj. 523k; hypogastric plexus 560g; intercostal 475o; lumbar 347u,553k,537f; paravertebral 434f; sympathic 409t,529n; trigeminal 334i,334v
NERVES, 380c; anat. & histol. 449s; cranial 456j, 546-1; facial 456j; motor units 380b; muscle 380x; of face 410h; phrenic 424g; physiol. 468b,540g; radial 395s,558a; regen. 443m; restoration 340n; section 450d; staining 434m,492c; vagus 325s; wds. & inj. 375u,396e,453t
NERVOUS SYSTEM, anat. & histol. 450e; dis. 378g, 378i,398h,423n,545i,--genetic asp. 440n; histol. 484e; in insects 456g; inflamm. 540h;
NERVOUS SYSTEM AUTONOMIC, 451r
NERVOUS SYSTEM, CENTRAL, 540h; actinomycosis 429-1; angiomatosis 379d; circulation 426s; deficiency dis. 427u; pharm. asp. 385f,388e; torula 346p; virus infect. 349w
NERVOUS SYSTEM, PARASYMPATHETIC, pharm. asp. 367j; physiol. 325a,325k,516p,540i; surg. 394-1,475o,517m; synapses 450a; wds. & inj. 538b
NEURALGIA, obturatorial 455h; trigeminal 374f, 488-1,522q
NEURITIS, 354w; ther. 535u
NEUROCIRCULATORY ASTHENIA, 540t
NEUROFIBROMATOSIS, 445v,461p
NEUROLOGY, 367s,379q; chem. asp. 439w; exper. physiol. 379u,379v; hist. 540f
NEUROSES, 507s,516u,528o; anat. abnorm. rel. 436j; anxiety 437f; mental tests 552u; phys. ther. 523d; regressive, in child. 539s
NEUROSURGERY, statist. 535n
NEUROSYPHILIS, 422o,447t; congen. 518t; diag. 443-1; in child. 506j; in tropics 400r; optic atrophy frequ. 378u; pathol. 456o; serodiag. 478k; ther. 478m,540u
NEVUS, 384m
NIAARA, 388g
NICOTINIC ACID, antagonist 433a; ther 520r,530u 530u
NICOTINISM, chronic, eff. 547w

NIPPLES, 417h; supernumerary 436j,516u
NITRATES, tox. 519v
NITROCHLOROBENZENE, tox. 500j
NITROFURAN, 361e
NITROGEN, balance 542j; determ. 537v; excess, in blood 510j; metab. 325g,328o,349i,467s,468g,503i; oxides, ther. 490g
NITROGEN MUSTARD, 352o,347g,366d,375g; eff. 324d,324j,324k; ther. 445e,524t
NOISE, control 421a
NOSE, dermoid cyst 397b; plastic surg. 397d; myiasis 346b; polypi 459d; tuberculosis 446t; tumors 345v,460f
NOSOPHOBIA, 456-1
NOSTRUMS, advertising 471o; dent. asp. 447c; in Canada 534d; purchase tax 466s
NOVOCAINE, intrasinusal 462i; intravenous 419b, 490h
NUCLEASES, streptococcal 326s
NUCLEIC ACIDS, 495v
NUCLEOPROTEINS, desoxyribose 326q
NUCLEOSIDES, 495v
NURSES AND NURSING, 356n,380p,419o,449j; emergency care 500c; epidemics 380m; homes 419w; in Switzerland 530k; industrial 420t,541p,541q; obst., psychiatr. asp. 380n; orthopedic 380r; public health 380o,380s; surg. 538n; uniforms hist. 471k
NUTRITION, 368u,484m; bulk-formers 542b; child. 457u; clin. research 375d; cooking utensils 342s; defic. 373s,423n,427u,438e,438n,488w,528k,550u; dent. asp. 488q; dried food 542e; eff. on thyroid 506n; exper. 467n,519w,542m; expressions 337m; in goiter 437m; in occupied Germany 428w; indust. asp. 457r; milk products 413o; ophth. asp. 431m; protein 513w,--substit. 439d; rations 375e; statist. 375c,392e; surg. patient 474t
NYCTALOPIA, 509a
NYSTAGMUS, 522i,522j; latent 542w; optokinetic 522h
OBESITY, 360i,370g; endocrine asp. 513b; in child. 482d; surg. asp. 475i
OBLIQUUS EXTERNUS ABDOMINIS, rupture 536k
OBSTETRICIANS, 418-1
OBSTETRICS, emergency service 423m; malpractice 426q; meetings 450s; operative 499d; predelivery care 350t; spasmolytics 426m
OCCUPATIONAL THERAPY, 397n,397p; in child. 397q; in gen. hosp. 507m; psychiatr. asp. 534a
OCHRONOSIS, 544o
OILS, mineral 386r; sesame 551w
OINTMENTS, base 551w
OLIGOPHRENIA PHENYLPYRUVICA, 533o
OLIGOSPERMIA, 496k
OLIGURIA, 537h,537w
OLIVES, leaf 510n
ONCHOCERCIASIS, in Mexico 441o
ONYCHOLYSIS, cosmeticogen 429p
OPHTHALMIA, SYMPATHETIC, 543o
OPHTHALMOLOGY, appar. 382n,543g; allergy in 352r; in Denmark 499-1; military 538j; ther. 543k
OPHTHALMOSCOPY, in tuberculous meningitis 544c
OPIUM, smoking, in China 440o; ther. 446t
OPTIC NERVE, atrophy 378u,--Leber's 544k; physiol. 484h; tox. 371o
OPTICS, 458f,458m,544q; athermalization of systems 458-1; banks 544r
ORBIT, cancer 459n; cellulitis 431o; dis. 545s; for. bod. 544a; inflamm. 545q; sarcoidosis 368i
ORTHODONTICS, 333r,335a,408e,408g,408h,408i, 489i,489-1; appar. 410a,488f
ORTHOPEDICS, 447o; prev. 378b; Vitamin E 550d
OSMIUM, radioactive 414o
OSTEITIS, fibrosa 334-1,512d; hematogenous 377h
OSTEOARTHROPATHY, 526c
OSTEODYSTROPHY, renal 334i,384j
OSTEOGENESIS, imperfecta 377k,437q
OSTEOMALACIA, 515j
OSTEOMATOSIS, 411a
OSTEOMYELITIS, 460b,464s; frontal bone 460c; in child. 462q; in diabetes 433-1; spine 395w; surg. 360s; ther. 377k; tuberculous 395q; vertebral 448d
OSTEOPATHY, hyperostotic sclerot. infant. 153a
OSTEOPERIOSTITIS, roent. 474s
OSTEOPETROSIS, avian 556v
OSTEOSCLEROSIS, 441w
OTITIS, media 371g,--infants 459u,511j; ther. 371u
OTOLARYNGOLOGISTS, 459b
OTOLARYNGOLOGY, 538j; progress 430e,460j
OTOLOGY, 537i; diag. procedures 545p; in U.S. 520n
OTOMYCOSIS, 459e
OTORHINOLARYNGOLOGY, dent. rel. 430-1; ther. 504-1
OTORHINOLOGY, forensic 531f
OTOSCLEROSIS, 511m
OUABAIN, 356c,387u
OVA, anat. & histol. 450b; transpl. 340a
OVARY, 572p,572r; absence 341t; atrophy 341b; cancer 419a,557-1; cyst 373m,427-1,504a,527t; dis. 499f; dysgerminoma 341s; estrogen precursor 443j; fibroma 526v; hemorrh. 498c; in guinea pig 450f; physiol. 325r,434p,435i; surg., compl. & seq 352-1; transplants 337o; tumor 342-1,372o,430v, 444b,498b,521n
OXALATES, eff. 334j
OXYGEN, consumption 467u; defic. 335s,453e,467-1, 469-1,516a,516b; emergency supply 497h; mask 497o; ther. 505u,--in malaria 461a
OZONE, biol. eff. 555k
PAGE'S DISEASE, 505h
PAGET'S DISEASE, 366-1
PAIN, 336f; hypersensitivity 541e; pharm. ther. 507u; physiol. 335s,541d; referred 522e; rheum. 432t;
PALATE, anat. 481g; cleft 365g,460r,487v; prosthesis 334w; saddle shapped 487u
PANCOAST'S SYNDROME, diff. diag. 434i
PANCREAS, 336q,504w; abnorm. 395p; cancer 433d; cyst, simul. 412s,423a; dis. 412w,--diag. 493e, --fibrocystic 556p; inflamm. 337g,411g,424s, 499n,525b; insular tissue 435j; resist. to tuberculosis 421r; surg. 393p,501c; tumor 379o; wds. & inj. 445q
PANNICULITIS, nodular nonsuppurative 490o
PAPANICALOAU METHOD, 507e
PAPERGRAMS, 416k
PAPILLOMATOSIS, transm., in rabbit 327m
PARAFFINOMA, lungs 559n
PARALYSIS, appar., self-help 397n; cerebral 358u, 368r; cervical, sympathetic 423k; cervicobrachial plexus 362n; crural 384q; facial 441s,558b; general 443-1,518v; obst. 424b; oculomotor 441i; peroneal 553n; phrenic 417s; physiol. 468n; radial 395s,549w,553n; recurrent larygeal 546a, 546c,546e; rehab. 397n
PARANOIA, 518u
PARAPLEGIA, congen. 437g; etiol. & pathogen. 377-1
PARAPSYCHOLOGY, 470d,470e,470f; performance outstanding 530h; research 470g
PARASITIC DISEASES, pathol. 472m; serodiag. 375o
PARASITICIDES, 497j
PARASITISM, 340r
PARATHYROID, hyperfunction 452u; hypofunction 438e; radiother. 461p

PARATUBERCULOSIS, bovine 483h
PARATYPHOID, carriers 362b; immun. 555b; vac. cine 555e
PARENTS, educ. 553b; expectant fathers school 500b
PARESIS, unilateral 514h
PARKINSONISM, etiol. & pathogen. 378g; ther. 359t, 367j
PAROTID DUCT, fistula, surg. 442-l
PAROTID GLAND, tumor 349n,462f
PAROTITIS, blood in 365c; epidem. 508c; recurrent 384f
PARPANIT, 531t,531v
PASTEUR INSTITUTE, Vienna 434c
PASTEURELLA, pneumotropic 325c
PATCH TEST, 420v
PATELLA, dis. 368-l; fract. 377i; surg. 377i,377v
PATHOLOGY, chem. 440i; clin. 425j; milit. 538h
PEDIATRICS, 384p; hist. 505d; in gen. pract. 425d; oral penicillin in 549r; progress 519i; psychol. asp. 550r
PEDICULOSIS, ther. 518h
PELLAGRA, in child. 363j
PELVIS, measur. 342t; roent. 363f,524d
PELVOTOMY, postop. pregn. 341u
PEMPHIGUS, 347i,352n; foliaceus 490s; medicament 515d
PENDE'S SYNDROME, 528j
PENICILLAMINE (L), eff. 416r
PENICILLIN, 322p,345t,388t,463b,466i,491a,504n, 510b,517r,526a; admin. & dos. 345g,383k,464c, 535g,536m; aerosol 327b,550h; bioassay 323e; blood level 327d; cerebrospinal fl. level 325t; cobalt fortif. 385q; cryst. vs amorph. 385m; deactivation 496c; eff. 322q,323g,323k,402r,424f, 435q,456o,476c,519h; hist. 451u; in cardiology 519s; in ENT 489b,504-l; in ophth. 509b; in puerperium 515s; injection eff. 516k; intraarterial 553s; intravenous infant 384a; metab. 324w; oral 350b,549r; plaster 535o; powder 333u; radioactive 414g; resist. 436d; salts 391g; ther. 327b, 353v,354q,356s,360h,362g,363m,364b,364c,364f, 364u,365t,370t,371u,371w,373-l,375f,377b,377g, 410r,417b,418a,424n,427h,429h,433-l,438b,442t, 459-l,462e,478f,478m,478p,480e,480f,501e,515k, 515q,516-l,517p,529q,534p,534u,536n,538d,547a, 549k; topical 393r,490r; tox. 363p,376e,411n, 490f
PENICILLINASE, staphylococcal 322k
PENIS, ulcer, plast. surg. 397b; venereal diff. diag. 422r
PENTOTHAL, eff. 467v; sedative 360r
PEPSIN, digestion 412j
PEPTIC ULCER, 347w,423-l,492h,502j,513n,514d, 518a,525p,535h,551r; course 442n; duodenal 354s, 433u; etiol. & pathogen. 446e; exper. 328c,337l; hemorrh. 352p,433t,442o; histamine 366h; in Armed Forces 336u; Meckel's divert. 374g; perf. 346c,537g; physiol. asp. 433t; postop. diag. 347h; predisp. 520p; prev. 362u; radiother. 535c; surg. 362v,363a,372w,373a,394r,434s,452m,510r,511j, 518a,523-l,536l,--indic. 515m; ther. 326u,359b, 436v,442n,452f,454d,508n,515b,528s,534h,537j, 538p
PEPTIDES, synthetic 495i
PERIARTERITIS, nodosa 348r,362t,366j,512f
PERICARDITIS, 508e; acute 350f; chronic constrictive 505h; myxedem. 371o,520o; purulent 429h, 530e; surg. 442v
PERIMETER, 544f
PERIODONTITIS, 400w; etiol. & pathog. 375q,410a
PERIODONTIUM, endocrine asp. 334k; in hamster 409d
PERIODONTOSIS, 333u,335a; classif. 334u; oxygen ther. 409p; surg. 333o; ther. 489m
PERITONEOSCOPY, 430e
PERITONEUM, adhesions 346-l,346n
PERITONITIS, 357p,438h; biliary 533w; etiol. & pathogen. 504a,--in pregn. 514j; pneumococcic 536q,549k,549-l; prev. 474-l; ther. 525m
PEROXIDES, 495t; determ. 386r; pharm. 323d
PERSONALITY, 440v; following psychosurgery 456s; tests 469e,469r,552t; types 340p,361c
PERVITIN, ther. 452a
PESSARY, 417c
PHAGOCYTOSIS, 364w,529b
PHANTOM LIMB, 346s,373i
PHARMACEUTICAL INDUSTRY, 465c
PHARMACIES, publ. health asp. 466g
PHARMACISTS, exlibris 467i
PHARMACOGNOSY, 552g
PHARMACOLOGY, 507u; exper. 385e
PHARMACOPEIA, British 388m
PHARMACY, 385o,386s,465a,466w; appar. 466c; compounding 466n; economy 465h; educ., Switzerland 552k; hist. 419i; publ. health asp. 466p
PHARYNX, abscess 489f; cancer 545c; flora 559h; inflamm. 425c,459k,463f; obstr. 349n; perf. accid. 436g; surg. 546n; tuberculosis 531g; tumor 345v
PHENETHYLAMINES, 387h
PHENOL RED, test 341q
PHENYLDICHLOROARSINE, tox. 383q
PHILIPPINE FOWL DISEASE, 560p
PHIMOSIS, surg. 520f
PHLEBITIS, 444e,531p; surg. results 395a,395c, 558m
PHLORHIZIN, pharm. 386t
PHOBIA, 372v,456p
PHORIA, test 381m; ther. 381n
PHOSGENE, tox. 345d
PHOSPHATASE, 366d; alkaline 323k,504r; in tuberculosis 559-l; potato 340h; test 507f
PHOSPHOLIPIDS, in diabetes 324p
PHOSPHORUS AND COMPOUNDS, 468c; anal. 458h; dent. asp. 409d; radioactive 339v,397a,403h; tox. 430j; trisodium phosphate 350j
PHOTOFLUOROGRAPHY, appar. airborne 376p
PHOTOGRAPHY, 413s; clin. 408f,413t; infra-red 418k
PHRENICOTOMY, 326m,376-l
PHYSICAL EXAMINATION, 432a
PHYSICAL MEDICINE, 368q,357f,419e; psychiatr. asp. 534a
PHYSICIANS, 422j,529w; gen. pract. 366a,429w,430a 432d.432c; court witness 493r; German, crimes 428p,428q; in Netherland 559p; patient rel. 487i; rural 359f,534q; school 366a; socialisation 533-l tion 533-l
PHYSIOLOGY, 442d; chem. asp. 374t
PHYSIOTHERAPISTS, training 429a
PHYSOSTIGMINE, eff. 321o,385i,465m
PICROTOXIN, pharmacol. 547s
PIGMENT, cervicofacial 490h; genetic asp. 493u
PILOCARPINE, eff. on eyes 544g
PILONIDAL SINUS, 359o
PINEAL GLAND, physiol. 530s
PINWORM, infect. 384s
PITUITARY GLAND, anterior 336q,347p; chromophobe adenoma 556b; dis. 523i; extract 450n; hormones 325q,548w; necrosis, postpart. 429d, 429e,429f; physiol 337v,389d; preparations 358-l, 462i
PITYRIASIS, rosea 411d
PIX, lithanthracis 411s
PLACENTA, anti-Rh-sera 376b; exper. 535w; extract, ther. 381w; praevia 341i,354n,427m,447b; residual, ther. 515s
PLAGUE, 510d

PLANTS, blooming 402k; cells, metab. 402d; cultivated 388p,388r; growth regul. subst. 414s
PLANTS, MEDICINAL, antimalarial 501q; adonis 551u; clover 402b; on Hudson 551i; parsley 465j; raphanus 404u
PLASMODIUM, cathemerium 501h; cynomolgi 398a,398c,423q; gallinaceum 344p,420m,501n; vivax 398c,501j
PLASTEIN, chem. 339j
PLASTER OF PARIS, 346a,553p,368c
PLEURA, adhesions 400h; dis. 362a,373k,423a; inflamm. 508e; lesions, in child. 462g; parietal 399h; roent. 398p,399d,476w; tumor 476w
PLEURISY, virus 351i
PLUTARCH, scientific signif. 485k
PNEUMOCOCCI, polysaccarides, determ. 420i
PNEUMOCONIOSIS, 500g,500r
PNEUMOGRAPHY, volumetric 385j
PNEUMONIA, atypical 345j,348w,430n,438u,442w, 516n; bact. 424u; etiol. & pathogen. 530n; exper. 327b,327c; in hospital 360m; in London 473e; lipid 532i,559n; lobar 524q,555p; malarial 421r; pneumococcal 424v,424w; purulent 429g; ther. 428r
PNEUMONOLYSIS, 399t; extrapleural, hemorrh. 473f; intrapleural 430p
PNEUMOPERITONEUM, 337k,351f; in tuberculosis 439f; ther. 376-1,--results 398m
PNEUMOTHORAX, 351f,426r,430n,442j,450j,477c, 559k; ambulatory 476m; appar. 548q; compl. & seq. 356j,477e,528r; emphysema 463e; extrapleural 398n,422r,427c; in infants 463j; roent. 399d; spontan. 346b,438i,447i,473d,503e,534o; tension 399t
PODOPHYLLIN, eff. 387d; ther. 363q,423u
POETS, mental dis. 541t
POIKILODERMA, 363w,515g,517o; pigment. 490c
POISONS AND POISONINGS, 388g,489a; legislation 381e
POLIOENCEPHALITIS, hemorrhagic, review 455m
POLIOMYELITIS, 519j,550t; acute 471p,538u; bladder paral. 365b; clin. asp. 471f; compl. & seq. 540f; control 471e; disinfection 507b; epidemiol. 344s,521r; etiol. & pathol. 423g; exper. 325-1, 424t; immun. 324s; in Germany 438h; in Gt. Brit. 423h,554g; in milit. camp 423i; in pregn. 341p; in school 356r; murine 324s; orthopedic asp. 471f; psychol. eff. 549-1; research 471e, 511s; serum 378b; ther. 367q,368q,551g; tonsillectomy rel. 365b,460k; transm. 373m; virus 325-1
POLYDIPSIA, 510i
POLYMYXIN, 439v,551q
POLYPOSIS, familial 394p
PONTOCAINE, 321r
POPLITEAL FOSSA, fistula 506a
POPULATION, growth distrib. 483-1
PORENCEPHALIA, in child. 373p
POROCEPHALUS, armillatus, infect. 556c
PORPHYRIA, acute 503e
PORPHYRINS, eff. 548b
POSTURE, physiol. eff. 326i
POTASSIUM AND COMPOUNDS, reagent 445n
POTTERY WORKERS, tox. 421d
PREGNANCY, anemia in 440n; appendicitis, terminal 535a; blood in 362j; carbohydrate metab. 437j; cerebral hemorrh. 365d; compl. 341s,367w, 400h,417s,418o,418q,427k,429q,434v,438r,493c, 498r,521u,534-1; diag. 498j,530o; ectopic 341t, 418n,429i,498g,532w,558o; endocrine asp. 347p, 527a; hyperemesis 505k,530u; intestinal obstr. 360-1; measles 524s; ;physiol. 342d,427-1; postop. 341w; prematurity 426m; prim. 498b; prolonged 498e,498t; proteins 440c; termination 346t; testa 336-1,414u,505k; toxemia 341j,341w,367w,530u; tumor 427-1; twin 443w; veins in 418k
PRENATAL CARE, publ. health 380t
PRESCRIPTIONS AND PRESCRIBING, 464v,466e; hazards 376r
PREVENTIVE MEDICINE, 349o; mutational prophylaxis 349a
PRIAPISM, 372b; etiol., atypical 505a
PRISCOL, eff. 394m
PRISONERS, exam., Denmark 372-1; in Jap. camps dis. 336p
PROCAINE, 511t,558t; metab. 465o; resist. 321v; ther. 345c
PROGESTERONE, ther. 533w
PROGNOSIS, 431w
PROMIN, ther. 350h
PROPYLENE DICHLORIDE, tox. 421h
PROSELYTE, 379q
PROSTATE, cancer 327i,366e,373u,380n,426t,526n, 531k,560j;gonorrhea 517f; hypertrophy 423s, 426t,445b,524u; inflamm. chronic 359g; tumor, endocrine asp. 535n
PROSTATECTOMY, 477r,530g; Hey's 395-1; retropubic 394o,430w; suprapubic 360k,400d,560k; transvesical 393-1
PROSTHESIS, 374v,455b; flex. joint 417e; hand 396b; leg 396a; manuf. 396a; soc. asp. 380q
PROSTITUTION, legal asp. 354u
PROTEINEMIA, 508e
PROTEINS, 453g,542d; biological value 542n; catabolism 337q,337r; copper 495b; creatinine nitrogen 542n; defic. 446j; eff. 457s,542c; fraction 442r; hydrolysates 325e; in diabetes 524c; in pregn. 440c; in surg. 370r; lysine requirements 542i; metab. 325o,380-1,484i; nutrit. asp. 516i; serum 335t,336a,442s; substitutes 439d; ther. 337-1, 446m
PROTHROMBIN, 537-1; chem. 414i; defic. 508-1; ther. 364n
PRURIGO, 490w
PRURITIS, anal 512t,521r; ther. 535k
PSEUDOCHEIRUS, laniginosus 398d
PSEUDOMONAS, aeruginosa 377r,503g
PSORIASIS, 335j,353r,506p,539g; etiol. 491b; ther. 411i,411s,476h
PSYCHIATRY, 359j,456-1,456u,538k; forsensic asp. 508s; in chronic dis. 456-1; in Gt. Brit. 379-1; in gen. pract. 360j; in U. S. 354r; milit. hist. 453-1; service 518k; social asp. 519j; ther. 494t; training, U. of Kansas 512h
PSYCHOANALYSIS, 350a,380i,380j,380k,391-1,470d, 518-1,540m,540n,540o,540r; ambivalence 380g; catharsis 356w; married couples 380h; training 380h
PSYCHODRAMA, 456a
PSYCHOLOGISTS, clin. directory 389t; educ. 390a
PSYCHOLOGY, 426o,469d,469e,469i,540q; anthropomorphism 390k; attitude determ. 390e; auditory stimuli 389k; clin. 340p,469s,552r; concept 389v, 390d; economy 352a; exper. 389g,389h,389i,389j, 390j,469h,469k,469m,469n; in Germany 342s; in Peru 552p; individual 540r; mechanomorphism 390k; methods 352d; operant discrimination 390a; picture-frustration 390c; projective tech. 389s; qualitative variables 390m; social 379c,470m, 470n,470o; somatic asp. 364u; suggestion 389k; tactual impressions 390g
PSYCHOMETRY, 470e
PSYCHOPATHIC PERSONALITY, needles inserted 395b
PSYCHOPATHOLOGY, 540g; adults 455w; in Navy 456c
PSYCHOSES, 507s; depressive 520r,539u; group ther. 494r; in Navy 540w; in soldiers 541a;

manic depressive 518t; ther. 378r
PSYCHOSOMATIC MEDICINE, 361c,370h,416n,433o, 435-1,523c,528n,532a,534q,540n; pediatric 523f
PSYCHOSURGERY, 366k,425w,523q; compl. & seq. 530i, indic. 523r; legal asp. 493k; postop. rehab. 365m,523s; results 438t,456s,516m; thalamotomy 525a; transorbital 523s
PSYCHOTHERAPY, 347g,362b,371g,552t; counseling 469q; group 552w,553b; in child. 455s; nondirective 469p; progress 552v; recording 356t
PSYLLIUM SEEDS, 385s
PTERYGIUM, ther. 376f,381j
PUBERTY, dis. 369e; precoc. 369d,550n
PUBIC BONE, 481f
PUBLIC HEALTH, 350-1,350m,390u,391-1,471b, 513w,516r,553u; admin. 390p; dentistry 471s; educ. 466p,466q,471c; eligibility committee 390q; environmental 375o; foreign 471c; hist. 346f, 364g,471k,499m; in Australia 471-1,519-1; in Brit. Army 374o,538f; in Canada 391e,391f,471-1; flood areas 391t; in Gt. Brit. 419t; in Hawaii 470v; in Japan 374f,392k; in Netherlands 554n; in New Zealand 350j; in Switzerland 451j; laboratory 352o; med. soc. serv. 554c; neuropsychiatry 443p; nutrit., in France 391i; outlook 359t; personnel 470t; research 390p; rural 380t; train. 372c,390q,391w
PUERPERIUM, compl. 400h,429d,429e,515s; early rising 526-1; fever 361q,418a,439g
PULMONARY ARTERY, sclerosis 443g; sten. 328c, 422u; surg. 436h; thrombosis 443g
PULMONARY SULCUS, tumor 441r
PULMONARY VALVE, surg. 422u
PULMONARY VEIN, pathol. 515k
PULSE, recording appar. 368k
PUPIL, abnorm. 456p; Argyll-Robertson 538c; dilat. & contract. 544m; pathol. 533q
PURPURA, 490k; hemorrh. 345s,351e,364m,425o, 436c,447s,537c,547d,578g; in cancer 436n
PUSTULAE, diag. 368q
PUTTI-PLATT OPERATION, 376w
PYELOGRAPHY, vertical pos. 529i
PYLORUS, spasm 356w; sten. 459m,509w,530a, 550o,550r,--bacillary 448n; surg. 462a
PYODERMA, gangrenosum 503f
PYRAMIDAL TRACT, 452i
PYRIBENZAMINE, eff. 411k; tox. 504h
PYRIMIDINE, diamino methyl 465t; nucleosides 495u
Q FEVER, 524q; epidem. 424d,470r; in Switzerland 349i; ther. 345k
QUARANTINE, in Sahara 342v
QUIET, ther. 420d
QUINIDINE, ther. eff. 422q; quinine 536d; amaurosis 381t; methiodide 401v; sensitivity 515g
RABIES, 548r; control 444w,554b; vaccin. hist. 434c
RADIATIONS, eff. 472v; beta 393c,496q,556e; inj. eff. 472o; ionizing 453r,556f; physics 535j; sun 415g,415h
RADICULITIS, 359q
RADIOACTIVE SUBSTANCES, 344e,495k,508q; eff. 403h; ther. 524t,529t; uses 402q
RADIOACTIVE TRACERS, 343n,416g,478e,498p, 497d; pharm. asp. 386r
RADIOAUTOGRAPHY, 341c
RADIOLOGY, 462k,538k; hist. 357-1; in Germany 393g; in Sweden 444t; progress 425k
RADIOTHERAPY, 373p,393d,418p,418t,454u,497w, 556v,560h; beta, results 347n; compl. 503m; dermat. asp. 525n; grenz 374v; inj. eff. 472g, 489v,525-1,533i
RADIUS, dystrophy 557t; fracture 557t
RATS, in Texas 392f; physiol. 467p
REACTION TIME, 392j
REASONING, psychol. asp. 541c
RECTUM, abnorm. congen. 354g; cancer 394o,403p, 451j,557-1,558o; dilator 417e; melanoma 473o; neuralgia 492m; postop. ther. 360n; precancerous lesions 354h; prolapse 360o,475h
RECTUS ABDOMINIS, hematoma 442p; rupture 536k
REFLEX, 322c; conditioned 469h
REGENERATION, in tadpoles 403f
REITER'S DISEASE, 344w,517t; review 376m
RELAXIN, pharmacol. 388b
RELIGION, lit. 485-1
RENIN, 339-1
REPRODUCTION, rhythm in animals 509u
RESINS, acrylic 560j
RESPIRATION, 335u,401t,468f; alveolar air 516h; artif. 514-1; Cheyne Stokes 522b; control 322b; depressed 361m; dis. 380e,546d
RESPIRATORY DISEASES, 356-1,454w,476p,485g; commission 375j; gymnastic ther. 372b; in naval training camp 375o; ther. 374e
RESUSCITATION, in surg. 370s
RETICULOENDOTHELIAL SYSTEM, 367t; dis. 359a,539w
RETINA, 542v; blood vessels 381k,383i,540k; detached 328p,382o,543a,544b,546t; diabetic 524c; dis. 381t; elasticity tests 544k; hemorrh. 431n; inflamm. 382d; neural asp. 380d; tumor, radium-ther. 368f
RHEUMATIC FEVER, diag. 437b,551c; in child. 384f,511q; nodules 368-1; ther. 376d
RHEUMATISM, 441h,513p; diag. 513m; in Virginia 534m; inflammatory 553i; pain 432t; palindromic 364j,374g,443t; ther. 444-1
RHINITIS, allergic 436a; atrophic 460d
RHINOSPORIDIOSIS, 534g
RHUBARB, 467f
RIBOFLAVIN, prod. 322n; solut. 417k
RIBS, fract. 399s,521w; granuloma 399q; tuberculosis, in child. 399f
RICKETS, 515j,550q; atypical 472m; epidemiol. & statist. 507a; etiol. & pathogen. 549j; roent. 556m
RICKETTSIA, burneti 349i; nipponica 343k; vaccines 365p
RICKETTSIAL DISEASES, 375k,432i; commission 375j; diag. 390s; epidemiol. & statist. 506v; exper. 506u; in Switzerland 530n; review 538n
RIFT VALLEY FEVER, 549a
RIGIDITY, 390-1
ROCKY MOUNTAIN SPOTTED FEVER, ther. 431s
RODENTS, control 375w
ROENTGEN RAYS, admin. & dos. 434f,452c; appar. 392b,393f,556a; chest 398p; diag. 367e, 392o,392p,392r,438m,510g,556k; eff. 416t,522-1; film 392d; fluoroscopy 443h,472n; histol. research 349f; in child. 472k,556w; inj. eff. 529g; tangent screen 381s; progress 535j,536p
RORSCHACH TEST, 378v,457d,457e,457f; anal. 456d; in child. 427r,539s; ocular asp. 552s
ROSS, RONALD, 496e
RUTIN, eff. 336d; ther. 349u,381k
SACCHAROMYCETES, 323m
SALIVA, 446e; bact. 409c,495q; examin. 481s; thiocyanate 412k
SALIVARY GLANDS, tumor 411b
SALMONELLA, culture 533g; infect. 461e; ther. 420j
SAMANDARIN, pharmacol. 547s
SAMARIUM, determ. 458i
SAND FLY, control 375-1,422e; fever transm. 326u
SANITATION, research 390t
SARCINA, ventriculi 555g
SARCOIDOSIS, 461-1,502q,506o,514t; diag. 473c, 489a; in child. 463m; ther. 363j,364i
SARCOMA, 393h,396-1,423u; bone 484o; exper. 451t;

fibro 484p; glioma 462f; lymphangio 484p; retroperitoneal 473s,473v; rhabdomyo 350g; urêa 366j,
SCABIES, 432-l,432t,462g; atypical 518r; ther. 490f, 515h
SCALP, parasites, ther. 490r; plast. surg. 370q
SCAPHOID BONE, pseudarthrosis 367n
SCARLET FEVER, atypical 462-l; diag. 452d; epidemic 367n; simul. 515g; ther. 506k
SCHAMBERG'S DISEASE, 528d
SCHISTOSOMA, mansoni 483a
SCHISTOSOMIASIS, 398g,423r,430t; pulmonary 430p; ther. 431d,465v
SCHIZOPHRENIA, 378p,437g,456a,456p,469o,527n; etiol. & pathogen. 553a; pharm. asp. 378q; ther. 515t
SCHOOLS, hyg. 390v; in Germany 472c; med. serv. 366a
SCHRAMM'S PHENOMENON, 478a
SCIATICA, 442a,454t,530w; arthrogenic 377w; etiol. 439k; ther. 454t,454u,454v,514m
SCIENCE, 416v; books 340s; hist. asp. 339h; objectives 465d; publications 339n,340t,495h; result release 340q; social asp. 465d; societies 413-l, 416o; tech. asp. 470-l
SCLEREDEMA, adultorum Buschke, in child. 464f
SCLERODERMA, 490s,492n
SCLEROSIS, multiple 475r,528o; etiol. & pathogen. 525w
SCOLIOSIS, in child. 423n; ischiatica 515-l; mechanism 433i
SCORPIONS, 342c; venom 342b
SCURVY, compl. & seq. 489v; in child. 518g
SEDATIVES, 374w; in neurology 531w
SELECTIVE SERVICE, 496s,550m; exam. statist. 391c,482f
SEMILUNAR CARTILAGES, calcif. 445s; disloc. 373t
SEMINAL VESICLE, cancer 560d
SENSATION, dis. 378j; loss, hysterical 348k,424m
SEPTICEMIA, 549s; coli 427o; gram pos. cocci 462o; pneumococcal 374r; staphylococci aureus 374s; tuberculous 399g
SEROLOGY, tests 534n
SEROSITIS, ther. 530c
SEROTHERAPY AND HEMOTHERAPY, 327a,364n, 523j
SERUM, antireticular cytotoxic 398o,412j; dry 491k
SEWAGE, 420s; disposal 390v
SEX, 400h,536e; conversion 520d; crime 400n; exper. 324m; oral phase 455r
SHELLFISH, publ. health asp. 390u
SHIGELLA, 461d; carriers 376g; culture 533g; dysentery 343d; paradysenteriae 325n
SHIGELLOSIS, chemother. 392g
SHOCK, 362o; hemorrhagic 326c,327w; in heart dis. 360o; obst. 429f; physiol. 467u
SHOCK THERAPY, 365j,516j; curare in 506t,539a; eff. 535p; insulin 378p
SHOCK THERAPY, ELECTRIC, 378p,378q,378r, 379-l; anesthetics dosage 423e; appar. 389w; compl. 379a; for depression 539u; in pregn. 379r; mental eff. 378s,379m
SHOULDER, disloc. 368p,376v,376w,377a,377b,377d; paralysis 377v; referred pain 522e; wds. & inj. 377m,452o
SHOULDER-GIRDLE SYNDROME, 436e
SHWARTZMAN PHENOMENON, 525u,555s
SIGMOID, cancer 403p,493d; volvulus 360w
SILICA, 344e; in tuberculosis 340i
SILICOSIS, etiol. & pathogen. 500m; roent. 500h
SILVER AND COMPOUNDS, caries prophylaxis 335b,409f
SIMULATION, of disease 369w,443e
SINUS, CAROTID, plexus 385i
SINUS, PARANASAL, 459o; cancer 393c,459n; inflamm. 459-l,534k,--in child. 523v; surg. 460h; ther. 437i,460o,514r; tumor 545k
SINUS, VENOUS, cerebral, wds. & inj. 446f
SJÖGREN'S SYNDROME, 448c,522j,544-l
SKI CHAMPION, in spite of endpcarditis 519s
SKIN, atrophy 363n,363v; carbohydrates 335g; care 552-l; cellulitis 351u; cutis, surg. use 558u; dis. 363s,366u,450u; eff. of cold on 396v; exper. embryol. 338t; fragility 344e; hemangioma 358o; hyperalgesia 540b; immunity 335f; papilla 505r; pigment. medicament 342g; tanned 411d; temperature 357p,--in child. 424o; transpl. 365a,376c, 383s,396s,515o,534b,--hair prev. 374v; tuberculosis, ther. 515n
SLEEP, disord. 518t
SMALLPOX, control 353e; vaccin. 478j,499o
SMELL, 451-l; tests 553d
SMOKING, eff. on stomach 548c
SOCIAL WORK, 342r; med. asp. 457t
SOCIETIES, medical, Heidelberg 520b; Vienna 537h, 537v; pharmaceutical, Switzerland 552i,552j
SODIUM, 414t; laxative eff. 337d; pteroyl triglutamate 551p; sulfacetimide, in ophth. 543k; tetrathionate 325a; thioglycolate 343m
SODIUM CHLORIDE, defic. 362f; filtered 364s
SOIL, eff. on health 533m; fertility 372r
SOLDER, tox. 509q
SOLUTIONS, sterile, prep. 467h
SOLVENT, toxic 541r
SOUND, conduction 459o,459s; high frequency 435k, 501t
SOY BEAN, nutrit. asp. 519w
SPARTEINE, 385g
SPASM, medication 520a
SPECTACLES, telescopic 382b
SPECTRUM ANALYSIS, 378r,386d,415w,435r,458-l
SPEECH, defect. 383a; in child. 462n,541n; in cleft palate 460r; melody 442u; ther. 382v,382w,383b
SPERMATOZOA, anat. compar. 418d; develop. 496k; exam. 508i
SPINAL CORD, compr. 556t; degen. 518u; dis. 379j; roent. 392q; tox. 366s; tumor 345i,474o, 541c
SPINAL PUNCTURE, for fenestration test 459t
SPINE, abnorm. & deform. 392s,533p; chordoma 472s; concussion 509b; curvature 441f,502d,504i, 530h; dis. 532m; disloc. 473k,--infants 463a; fusion 377w,521t; intervertebral disc 361k,368b, 373g,393u,396e,439k,442a,445i,451r,474w,504e, 535h,540v,556c; ligaments 363c; movements 363c; physiol. 434h; rheumatism 553h; roent. 532-l,548u; tumor 392o,445g; wds. & inj. 337-l, 503w,545n
SPIROCHAETA, vincenti 427q
SPIROMETRY, alveolar air 516h
SPLEEN, cyst 514c; dis. 351e; enlarged 367q,368i, 428b,447c,502b,521b; extracts 345s; infarct. compl. 503-l; rupt. 376m,509h; surg. 509d; tumor 347d,368i
SPLENECTOMY, 425o,447s,557f; indic. 349s
SPONDYLARTHRITIS, 357f,359q; ankylopoietic 432q; cervical 447j
SPONDYLITIS, 368b; infectious 519r; rhizomelic 352h; ther. 377r; tuberculous 393a,435-l
STAIN AND STAINING, 412-l,491w,492a,492c,492d, 492e; commission 390t; gallocyanine-chromalun 443k; Heinz bodies 491u; liver cells 321d; nerves 434m
STALLION, sperm 418d
STAPHYLOCOCCI, 822j; aureus 322j,323o,402r; autovaccine ther. 337a; carrier 424k; infect. 489d,554g,554h,557-l; penicillin resist. 519h
STARCH, products 465e
STARVATION, 337v,520t
STATE MENTAL HOSPITALS, economy 378w

STELLATE GANGLION, blocking compl. 433h; surg. 436m,533j
STERILITY, 461b,547f; diag. 504q; etiol. & pathogen. 436p; genitic asp. 338w; hyaluronidase ther. 341o; in Fr. Africa 424m; in marriage 440h,498f; male 533p; nicotine eff. 547w; sperma in 508i; surg. 444m; thyrogenic 356g
STERILIZATION, chem. 466g; determ. 466f
STERILIZATION, SEXUAL, eugenic 523o
STERNUM, marrow 537-l; pain 511f
STILBAMIDINE, 465u
STILBESTROL, 368m; determ. 385u; eff. 412f,499b; in pregn. 337s; ther. 356q
STILLBIRTH, statist. 481e
STIMULI, test 484g
STOMACH, acidity 337h,519j; cancer 347a,362p, 372f,372t,393p,403s,436n,484r,492-l,528g; cyst, intrathoracic 473m; dis. 336u,492i; fibroma 417q; flora 414-l; hemorrh. 451f; inflamm. 528a; myoma 417q; motility 336o; physiol. 446g,496i; prolapse of mucosa 337b,394g; pyrosis 499e; roent. 518o,537u,553-l,--infants 551e; secretion 325o, 372t,413a,446e,467k,492q,492r,510k,510m,553r; surg. 362p,372f,372g,394r,492t,529m,533a; thoracic 345b; torsion 502b,535h; tumor exper. 451t
STOMATITIS, 345o; aphthous 361t,501e
STRABISMUS, concomitant 397t; in child. 356k
STRAMONIUM, raising 386h
STREPTOCOCCI, antigens 502w; bovis 322h; infect. 365t,496a; specificity, in skin dis. 411m
STREPTOMYCES GRISEUS, metab. 403i
STREPTOMYCIN, 348m,388t,517e,526r,559j; adsorption 325i; aerosol 327c; blood level 327d; determ. 437c,351i; eff. 323n,327c,327e,367k,513n,537n; exper. 367c,375b; in pediatrics 537r; in surg. 537q; in Sweden 443d; in Switzerland 367-l; prod. 403i; review 517w; ther. 345k,346v,350h,357f, 365t,367d,367g,371i,375i,377r,392g,400f,424j, 427h,427o,437o,443c,443f,444n,445f,454g,454h, 460o,480d,480e,501v,503g,511q,525n,529q,530c, 532p,535d,535t,537o,537p,537q,544c,555f; tox. 354e,445j,454i,455-l,533f
STREPTOTHRICOSIS, 376f
STRETCHERS, standard 424a
STRONTIUM, determ. 458k
STROPHANTHIN, 417p; extraction 386g
STRYCHNINE, tox. 387t
STURGE-WEBER'S SYNDROME, 455g
SUBARACHNOID SPACE, anat. 423g
SUGAR, physiol. 435p; tolerance tests 464h
SUICIDE, 455e; attempts 379f; tests 457d
SULFACARZOLE, ther. 392g
SULFADIAZINE, tox. 376k,437w
SULFAPYRIDINE, 524i
SULFASUXIDINE, postop. 360m
SULFATHIAZOLE, eff. 322n; eval. 459k
SULFETRONE, ther. 368s
SULFONAMIDES, 324t,385b,388o,388t,526-l; admin. & dos. 383k,452e; chem. 386j; crystalline 386i; eff. 349i,438w; gram-neg. bact. 508u; pharm. 466v; ther. 362f,418a,428r,438d,446m,465r,515k, 525m,536n,546w,547a; tox. 368p,448n,535u
SULFONES, 465q,522a
SULFUR AND COMPOUNDS, radioactive 416k; sulfacetimide, in ophth. 543k; ther. 368r
SULPHA GRANULOMA, 350c
SUPRONAL, ther. 428t
SURGEONS, anesthetist rel. 361n
SURGERY, 373d,431q,507q; abdominal 498r; appar. 497k,528q; early ambul. 474p,475m; field, antisepsis 533b; geriatric asp. 359-l; hist. 369f; Camerouns 355r; in Finland 349d; in Gt. Brit. 538h; mortality 434i; pediatric 384t; physiol. 352f; preop. care 417p; tech. 409u,475f; training 474d,474e,--in V.A. hosp. 474f
SURGERY, PLASTIC, 365e,365f; in prison 559a; in U.S. 439o; psychol. asp. 349s,443v
SUTURES, Connell's 453i; materials 558v; tying 395p
SWEATING, 325a,435k; excessive 530r; gustatory 540a
SWIMMING POOLS, hyg. 360b
SYMPATHECTOMY, 326a,348j,348t,369g,393k,433v, 446a,447g,511p,512c; indic. 348b,427d; Peet's, results 435b; thoracic 354b
SYMPHYSIS PUBIS, arthritis 436q; surg. 418w
SYNCOPE, etiol. & pathogen. 353h
SYNOVIUM, tumors 392w
SYPHILIDS, nodular 363v; ther. 364b
SYPHILIS, 448k,478e,478h,478i; blood test, error 375i; congen. 360h,436s,441i,490m; control 364c; dermat. asp. 490i; diag. 434t,489e,547h; exper. 478f,478h; in pregn. 425-l; Laughlen test 400n; manag. 518e; mortal. 400p; recidiv. 364e; reinfect. 365s,517e; secondary 364e,364k; serodiag. 336k,375i,410v,412h,412i,421p,471i,478j,478-l, 528w,534i,555i; serology 431p,490u,490v,517t; statist. 514j; tertiary 369h,409s; ther. 347p, 349q,364f,375f,400k,421q,422m,422n,424f,454e, 457i,476g,491a,514q,534p,--fatal 349v; transm. atypical 532d
SYPHILOMA, 489e
SYRINGES, 417i
TABES DORSALIS, 364k,518u; in child. 352f
TABLETS, pharm. 386w
TAKATA-ARA TEST, 372j,490u,490v
TALIPES, calcaneo varus 368d
TANTALUM, gauze 356s; wire, surg. 558u
TAXONOMY, 323b
TEACHING, non-directive 390h
TECHNOLOGY, 470-l; in Plutarch 485k
TEETH, abnorm. & deform. 487m; absence 487-l, 488a; acrylic fillings 487u; calculus 334t; chem. 414k; crown & bridgework 355f; dis. 489f,489h; dystopic 355e; enamel 408k,409d,488h,489k; endocrine asp. 334k; extract.334f,430j,487i,487m, 488h,488u; fluorine content 408w; impression 488a; in mercury tox. 500m; infect. 430g; loss 488d; malacia 488d; malocclusion 531c; mesiodens 488v; molar, third 440a,488a; pain 409e, 430h; primary 487n; prosthesis 333s,333v,334a, 410e,410k,430j,450c,488k,488t,489p; replantation 487t; roent. 488-l; transplant. 410d
TELANGIECTASIS, 490j; facial 490-l; hered. 364m
TEMPERATURE, BODY, 487-l; high, induced 337h; in child. 424o,526r; in gyn. & obst. 342e; in mice 416t; low 558t; pharm. asp. 326h
TENDON, surg. 395s395t,451a,526f
TENNIS ELBOW, 378c
TEROPTERIN, cancer ther. 385-l
TESTIS, anat. & histol. 445p,560b; cancer 502a; cells 496n; dis. 338e,448f; hypofunction 338d; inflamm. ther. 529j; radiother. 502a; surg. 373u, 560j; torsion 425n; tuberculosis 476d; tumor, infants, 351n; undescended 512n,557i
TESTOSTERONE, in pregn. 337s; ther. 370u,371b, 433p,440w
TETANUS, antitoxin 412j; compl. & seq. 434h; diag. 452q; in infants 506f; toxin prod. 323j
TETANY, 464e; ther. 351c,366w,534t
TETRAETHYLAMMONIUM CHLORIDE, eff. 387c, 412g,493b
THALAMUS, 453s; surg. 525a
THALLIUM, tox. 526t
THEOPHILLINE, 536d; determ. 387s
THEPHORIN, 353t,503d
THERAPEUTICS, progress 510v
THERMODYNAMICS, 494n
THINNESS, endocrine asp. 513b
THIOPENTONE, allergy 436c

THEOSINAMINE, ther. 371s
THIOUREA AND DERIVATIVES, 345h,350g,502e, 508q,510m,526j; eff. 351i,444r,461g,548f; ther. 531n,531o; tox. 360t,503d,503k
THORACOSCOPY, operative 476-1
THORAX, abnorm. & deform. 450t; cyst 511-1; pathol. 399u; surg. 322b,399m,399s,--instr. 399u; tumor 373d,524k,--infants 462r; wds. & inj. 385t
THROMBOANGIITIS, obliterans 510c,521h
THROMBO-EMBOLISM, 362p
THROMBOPHLEBITIS, migrans 364q
THROMBOSIS, arterial 508k,510b; axillary vein 360s; carotid artery 345f; cavernous sinus 452n, 516-1; coronary 356v,534o; diffuse 547d; in gyn. surg. 419d; postop. 425j,473j; ther. 417r; venous 428j,433s
THUMB, plast. surg. 524c; tenosynovitis 397k
THYMOL TEST, 372h,372i,372j,491n
THYMUS, persistent 528j; tumor 364v
THYROID, adenoma, tox. 508o; antagonist 426f,466b, 503h,508a; cancer 425q; dis. 367o; exper. 321h, 388i,388k; extract 334k,371o; histophysiol. 451e; hyperfunction 350g,378o,444r,503u,505g,508q,531n, 548k; hypofunction 506n; in Belgium 445-1; in fish 321k; inflamm. 538d; lingual 355o; pathol. 548g; physiol. 356g,531m; tuberculosis 475k,548g
THYROID DUCT, persist. roent. 392v
THYROIDECTOMY, 451e,535s; compl. & seq. 448p, 546b,546c; in pregn. 434v; indic. 527-1; postop. 435v; subtotal 397j,460q
THYROTOXICOSIS, in Finland 502n; ther. 352k, 426b
THYROXINE, eff. 526-1,548w
TIBIA, fract. 364q,367m,378d,445t; syphilis congen. 490m
TINEA, capitis, ther. 507i
TINNITUS, 358k,460f
TISSUE, amniotic, eff. 444q; corneal 381o; culture 369u,449r; frozen sections 491w; glycogen content 321e; grafts 397a; plant 492b; staining 491w
TOBACCO, ther. 351j
TOILET, 417e
TOLUENE, tox. 509n
TOLUYLENE, tox. 342g
TONGUE, apraxia 455n; dis. 463-1; hypertrophy 334f; pain 492s
TONSILLECTOMY, 362s; compl. & seq. 365b; hemorrh. 372a,451h; in diphtheria carriers 362r; poliomyelitis rel. 460k
TONSILS, 362r,464j,545-1; cancer 327s; infect. 362f,362r,459b,557k
TORULOSIS, in newborn, roent. 472h
TOXICOLOGY, 493n
TOXOIDS, digestion 549d
TOXOPLASMOSIS, 472i; congen. 550-1
TRACHEA, defect. 399p; diverticula 392u; for. bod. 392p; physiol. 349g; rupt. 351o
TRACHEOBRONCHIAL LAVAGE, diag. 439r
TRACHEOTOMY, compl. & seq. 442j; in paralysis 519f
TRACHOMA, 345v,368e; keratoplasty in 544d; pannus 368e; surg. 543p
TRANSFIXION, 517b
TRAVEL, international 346q
TREMATODES, avian 482t
TREPONEMA, pall·um 459b
TRIATOMA, neotomae 482w
TRICHINELLA, spiralis 483e,560n
TRICHINOSIS, chronic 443k; neurol. compl. 371a
TRICHLOROETHYLENE, tox. 553r
TRICHOMONAS,, eff. of chem. 420o; foetus 420n; species 420p
TRICHOPHYTONS, 535a,535b; vitamin defic. 323i
TRICHOPHYTOSIS, 434j
TRICHOSURUS, vulpecula 398d
TRICUSPID VALVE, rupture 483i
TREDIONE, ther. 384b; tox. 534i
TRIORTHOCRESYLPHOSPHATE, tox. 439-1
TROPICAL MEDICINE, chemother. 339q; in world war II 440u
TRUDEAU SOCIETY, 360u
TRUSS, 417c
TRYPAN BLUE, uses 449s
TRYPANOSOMA, cruzi 482w; equiperdum 344m; toxin 497c
TRYPANOSOMIASIS, 355s; African 355s; Chagas 441p; chemother. 527q
TRYPTOPHAN, eff. 497b
TSETSE FLY, 338-1
TSUTSUGAMUSHI DISEASE, in World War II 482r; vaccine 375o
TUBERCLE BACILLI, 344r,350j,414h,502s,520v; culture 554u; discovery 446r; exper. 559t; growth 559w
TUBERCULIN, eff. 520v; reaction 398p,501d; sensitivity 345a; ther. 438f
TUBERCULOSIS, 377f,398v,428u,429a,508w,528v, 559r; acute septic 399g; antibiotics 516q; atypical 399g; BCG vaccine 342w,348v,360t,365w,422v, 422w,426v,426w,427b,504t,511m,513a,--results 427a; bronchi, diag. 461o; bronchoscopy in 477h, calcific. 439p,472-1; chemother. 344j,344k,344-1, 465q,465r,465s,465t,559m; compl. & seq. 373k; control 367b,398r,398w,454h,524-1,559q,559u; cutan. 370b,491d; diag. 454h; eff. of air electricity 399c; empyema 476n; epidem. & statist. 353k,392c,477-1; erythema rel. 442u; etiol. & pathogen. 426c,502s; exper. 325u,421r,548g; in Belgium 559n; in child. 370e,399f,490n,550b; in Germany 516h; in Hawaii 353m; in Negro child. 559u; inhib. 340i; institutes 449d; journals 430s; larynx 559j; miliary 367h,424j,535d; primary 477i; progress 511e; psychol. asp. 398s; rheum. 355b; sanatoriums 365k,449d,559q; serology 436-1; silicosis rel. 346m,500g; social asp. 476k; ther. 335n,367g,375i,399k,400t,438f,454h,537p; thromboembolism 398n; tracheobronchial 383c; vaccin. 438c,--inj. 370e
TUBERCULOSIS, PULMONARY, 350h,352t,353s,355 355b,355v,359n,360f,367d,426r,430p,439f,444e, 447g,449b,514s,559-1; cavities 424j,426q,430q, 477a,477j,537o; collapse therapy 422r; diag. 439r,476m,537t,548u; emphysema 463e; in child. 476s,519s; surg. 362h,476t,476u,536j; survival 424b; ther. 376-1,397p,398o,444n,447e; transm. 430o
TUBERCULOUS, rehab. 397p,398q,477n,559v; tumor 463d
TULAREMIA, ther. 353t
TUMORS, 327r; adamantinoma melanotic 368j; adéno-acanthoma 521p; adenoma 445d; angioma 536-1; cerebral 518s; chondroma 463d; chorion-epithelioma 356g; chromophobe adenoma 556b; cystadenoma 371c; dysgerminoma 403t,513u; endothelioma 476w; enzymes in 339e,494o; epithelial 334p,376i,410p; epithelioma 430u; epulis 334h; etiol. 446w; exper. 497c; fibroma 370m; fibromyoma 572r; glioma 368f; glomus 526i,556s; granuloma 445t,508t,559b; granulosa cell 430v; growth 327p; hemangioendothelioma 360d; hemangioma 350f,388o,393k,400a; histiocytoma 368n; hypernephroma 354t,482b; in child. 462w; intracranial 360a; lipoma 558g,--in child. 556s; lymphangiocystofibroma 536q; lymphangioma 394h; lymphoma 521p; melanoma 370a,473o; metast. 514o; microcytoma 383m; myeloma 345i, 377i,444f; myoblastoma 399t; myoma 334-1; neurinoma 473m; neurofibroma 459m; neuropsychiatric asp. 379o; nose 460f; osteochondroma 445g; osteoid chondroma 472n; osteoma 396-1,

455k; Pancoast's 373o,441r; papillary adenoma 361m; papilloma 423w,430u,442-1; plasmacytoma 460c; predisp. 360g; retinal 334h; seminoma 341s; spinal cord 474o; spleen 347d; synovial 368m; teratoma 417t,462s; ther. 497c; thorax 462r; thymoma 364v; transpl. 387d; tuberculoma 368i
TURBINATES, hypertrophic 459d
TURNER'S SYNDROME, necropsy 338i
TURTLE, kidney physiol. 547t
TWINS, atrophic rhinitis 460d; genetic asp. 494a; in cattle 338s; obst. behavior 423w
TYMPANIC MEMBRANE, incus rel. 545h
TYPHOID, 520n; carriers 373v; compl. & seq. 394w,432f,548h,558j; gums in 444k; immun. 555b; in child. 464p; serodiag. 436-1; ther. 324r, 435g; vaccin. 468h,555e
TYPHUS, compl. & seq. 359s; diag. 435s,555q; epidem. 345o,538n; in Texas 392f; murine 506f; precocious 354w; ther. 554r; tick-borne in Africa 398f; toxin, eff. 555s; vaccin. 554u
ULCERS, gummatous 369h; postdiphtheric 398u
ULTRA VIOLET RAYS, erythema prev. 411k
UNDULANT FEVER, 358p,402o,431u,448h,511v, 511w; hemorrh. compl. 446n; in Burma 345w; in child. 462u; radiother. 371s; ther. 353t,527v
UNIVERSITY, admin. 419p; ideal 469g
URANIUM AND COMPOUNDS, chem. 496k,496-1; fission products 536c; nitrate 326k
UREA, 337q; eff. 467p; metab. 468o
UREMIA, biol. 433j; etiol. & pathogen. 362f; in cholera 431g; peritoneal lavage 393q
URETER, abnorm. & deform. 342-1; catherization 560-1; dilat, bilateral 556u; obstr. 515-1; physiol. 516p; schistosomiasis 423r; surg. 477t,477v,478h; tumor 560i,--in stump 347q
URETHANE, eff. 449t,531a,535-1,535m,537s; exper. 435d; ther. 362u,523e,529r,535j,535k,535q
URETHRA, calculi 560h; catherization 560k; gonorrhea 410q; inflamm. 517s; surg. 509c; wds. & inj. 427j
URIC ACID, metab. 411v
URINARY TRACT, abnorm. & deform. 350s; calculi 431b; dis. in Ceylon 560e; fistula 347u,477q,558c; infect. 373e,400h,425m,425n; obstr. 429o; papillomatosis 347s; radiother. inj. 560c; tumor 350f
URINATION, excess 510i; incontinent 365b,418c, 464p,536s,557w,560d,--absorbing pad 417k
URINE, amino acids 326e; anal. 428t,--legal asp. 493o; barbituates 509o; exam. 362e; ketosteroids 327i; phosphatase 548j; specific gravity 510w; steroids 510q; volume 325h
UROBILIN, determ. 345-1
UROGRAPHY, vertical pos. 529i
UROLOGY, bact. 478a; in gen. pract. 513-1; streptomycin in 400g
URTICARIA, 510b; gigantic 510a; papulosa 519g; pigmentosa 364d
UTERUS, absence 427m; atrophy 341b; bicornis 436p; cancer 346m,359r,393m,418m,418t,429s, 472g,484q,498g,508o,521e,553w; displaced 527-1; fibromatosis 498g; for. bod. 366m; gravid, torsion 341s; hemorrh. 342-1,342p,372o,533i; infarct 367-1,424a; innervation 531t; perf. 535v; physiol. 388d,424e; prolapse,341q,475h; tumor 370m,418m, 521p,536q
UVEA, diff. diag. 368j
UVULA, hematoma 520s
VACCINES, influenza 417-1; intravenous 462u; virus 417-1
VAGINA, absence 427m; cancer 418m; flora 438g; gonorrhea 434g; hyg. 498v; inflamm. 418e,515s; laceration 498o; pack 497n; secretion 503t; smear 350a,354m,429s; surg. 361o,451s,497q; trichomonas, ther. 365q
VAGOTOMY, 336o,336v,394r,474b,474m,474v,492j, 525d,528s; indic. 393-1; results 350e,534f,557p; test 536k; transabdominal 434s
VAN DER HOEVE'S SYNDROME, 381v
VAREX, 362q
VARICOCELE, ther. 363a
VARICOCID, 362q
VARNISH, source 465e
VASECTOMY, fertil. rel. 533p
VASOMOTOR SYSTEM, collapse 503k; physiol. 510c
VATER'S PAPILLA, cancer 359v
VEINS, cava, ligation 428j; portal 521b; superficial 418k
VEINS, VARICOSE, 523n,531p; test 527c; ther. 454p,475e,527d,529r,557c,559c; ulcer 427g,506m, 513s
VENEREAL DISEASES, 440f,478i; British Army 538i; control 478p,512q; classific. 518f; in Brit. Columbia 391f; in France 512q; medico-social asp. 422m,471w; Mexican Army 371e; progress 450u; psychol. asp. 400m; symptoms 430k
VENOM, tox. ther. 401w
VENTILATION, sanitary 470r
VERTEBRAE, pathol. 532m
VERTEBRATES, geographic distrib. 403-1
VERTIGO, 460f; aural 522i,522j; ther. 513j
VETERANS, coccidioidomycosis 361e; combat 521m; neurosis 361-1; psychother. 552w; tuberculous 398q
VETERINARY MEDICINE, ethics 560p
VIGANTOL, ther. 335k
VIRILISM, 462b; etiol. & pathogen. 503v
VIRUS DISEASES, 375k; chemother. 397s,553j; commission 375j; diag. 390s,524b; exper. 375k; mollusca contagiosa 376i
VIRUSES, 369u,444p; biochem. 322w,432u; cell rel. 349a; electronmicroscopy 439u; in tumors 446w; influenza 424v,424w; neutralization tests 420q; tobacco mosaic 402a; turnip yellow mosaic 495g
VISION, aniseiconic 381-1; conservation 458r; field 542s,543v; nutrit. asp. 458q; perception 389n, 390f; psychol. asp. 382t,494-1,543m; statist. 381p; stereoscopic 389q,458j,542u,543b,544i,544j; training 382q
VITAMIN A, 355a,447p,492v; chem. 404v,404w; defic. 387t; dermat. asp. 347e; exper. 436r; geriatric asp. 493a; ther. 375d
VITAMIN B, 358w,509m; defic. 418i; metab. 457-1, requirements 467o; ther. 488-1; tox. 326j,530d
VITAMIN B_6, 350w; antagonist 433a; eff. 425s
VITAMIN B_{12}, 340m,551o
VITAMIN C, 359b,374-1,461p,510-1; exper. 338b; in child. 533g; requirements 435v
VITAMIN D, 491d,515n,517n,550q; eff. 531a, metab. 549j; ther. 362b,363j,364a,364h,364i,370b,443a; tox. 369v,505p
VITAMIN D^{15}, ther. 490t
VITAMIN E, eff. 446a,536e; in heart dis. 345d; in orthopedics 550d; ther. 371r,429h
VITAMIN K, 326e; analogues 414h; defic. 414i, eff. 393o; ther. 351c,351e,450k
VITAMINS, 366u,436w; determ. 389e; eff. 457s, in child. 533g; in otorhinolaryngology 545e, metab. 357i,457-1; prep. evaluation 348n; ther. 530d
VITILIGO, 490q
VITREUM, exper. 424-1; protein 382f; transpl. 382-1
VOCAL CORDS, paralysis 545v,545w,546b,546d, 546e,546f,--unilateral 546i; surg. 546g
VULVA, cancer 499f; fibromyxoma 418q; gonorrhea 434g
WANGESTEEN, appar. 557h

WAR, eff. on health in U. S. 433v; operational research 413j; Pacific unknown dead 481u; wds. & inj. 374m,399v
WARTS, face, ther. 363q; plantar 538t; psychother. 490v
WASSERMANN REACTION, 446o
WATER, anal. 390s; California 483c; hyg. 554j; in starvation 542o; metab. 340f,467n,537w; mineral 454w,530-1; pollution 339i; radiology 393d; retention 370g
WEEDS, destruct. 417h
WEIGHT, body 423-1
WELTMANN'S TEST, 336i
WHOOPING COUGH, 480d; bact. 559t; control 514w; immun. 550i; ther. 346v,502r; vaccin. 526o,533u
WOLFF-PARKINSON-WHITE SYNDROME, 328d
WOLFFIAN DUCT, bibliog. 363d
WOMEN, prof. asp. 536t
WORMS, intestinal 467g
WOUNDS, bite 444w; gunshot 361k,375w; necrotic chem. 466t; ther. appar. 417g
WRIST, fract. 359k; fusion 377q; surg. 557q
XANTHOMA, multiple 364j,489u,--cholesteremic 423c; simul. 363p,506o
XANTHOPTERIN, dos. 468e
XERODERMA, pigment 490s
XYLOSE, nutrit. asp. 516i
YEAST, growth 497d; metab. 547t
YELLOW FEVER, prev. 529n
YOGA, classic 350o; fire running 350p; hist. 350n; Kundalini 350o; med. asp. 350o; trance 350p

The CURRENT LIST OF MEDICAL LITERATURE is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price: $3.00 per year ($3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents.

Published weekly by the ARMY MEDICAL LIBRARY, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.